



*Supplement of*

## **New insights into the Weddell Sea ecosystem applying a quantitative network approach**

**Tomás I. Marina et al.**

*Correspondence to:* Tomás I. Marina (tomasimarina@gmail.com) and Leonardo A. Saravia (arysar@gmail.com)

The copyright of individual parts of the supplement might differ from the article licence.

## Equations for calculating species properties

### Weighted properties: Interaction Strength

We used the estimation of the interaction strength as the weighted property for the species of the Weddell Sea food web. The main equation to estimate the interaction strength  $IS$  was:

$$IS = \alpha X_R \frac{m_R}{m_C}$$

where  $\alpha$  is the search rate,  $X_R$  is the resource density, and  $m_R$  and  $m_C$  are the body mass for the resource and the consumer, respectively (Pawar, Dell, and Savage 2012). We assume the case were resources are scarce because this resembles field conditions (figure 3 e & f and equation 3 from Pawar, Dell, and Savage (2012)). Then the search rate for 2D interactions (see main text) is calculated as:

$$\alpha = \alpha_{2D} m_C^{0.68 \pm 0.12}$$

For 3D interactions it is calculated as:

$$\alpha = \alpha_{3D} m_C^{1.05 \pm 0.08}$$

where  $\alpha_{2D} = 10^{-3.08}$  and  $\alpha_{3D} = 10^{-1.77}$  are the intercepts for each interaction dimensionality.

As the resource density  $X_R$  is not known for our study case we estimated it according to the equation S18 and supplementary figures 2i & j (individuals/m<sup>2</sup> - m<sup>3</sup>) from Pawar, Dell, and Savage (2012):

$$X_R = X_0 m_R^{-p_x}$$

where  $p_x$  is  $-0.79 \pm 0.08$  for 2D and  $-0.86 \pm 0.07$  for 3D.

### Interaction Strength variability

With the aim of taking into account the variability of the exponents in  $\alpha$  and  $X_R$  estimations, we run 1000 simulations for calculating each pairwise predator-prey interaction. Due to the skewness nature of the estimated interaction distributions, we considered the median as the summarizing value. Such a skewness is shown in the following histogram for the interquartile range:

### Unweighted properties

As unweighted properties we calculated degree, trophic level and trophic similarity. The degree  $k$  is simply the total number of feeding links in which the species participates. It was calculated as:

$$L = \sum_{i=1}^S k_i$$

where  $L$  is the total number of feeding links for the  $i^{th}$  species in the food web; here denoted as  $k_i$ . The trophic level refers to a species' vertical position in the food web, relative to the primary producers that support the community. Species that do not consume any other species in the web are primary producers or other basal resources; species with no predators are top predators; those with both predators and prey are intermediate consumers. Trophic levels  $TP$  were calculated for every species based on its position in the food web using the "prey-averaged technique":




Figure S1: Frequency distribution of interquartile range for the estimated interaction strengths of the Weddell Sea food web. Total number of interactions = 16041.

$$TP_i = \frac{\sum_j TP_j}{n_i} + 1$$

where  $n_i$  is the total number of prey taxa consumed by taxon  $i$ , and  $TP_j$  represents the trophic position of all prey items  $j$  of taxon  $i$  (Thompson et al. 2007). The trophic similarity  $TS$  between every pair of species in the food web was calculated using the following algorithm:

$$TS = \frac{c}{a + b + c}$$

where  $c$  is the number of predators and prey common to the two species,  $a$  is the number of predators and prey unique to one species, and  $b$  is the number of predators and prey unique to the other species. When the two species have the same set of predators and prey,  $TS = 1$ ; when the two species have no common predators or common prey,  $TS = 0$  (Martinez 1991).

Table S1: Weighted (interaction strength) and unweighted properties of the trophic species of Weddell Sea food web. Ordered by decreasing median interaction strength. median IS = median interaction strength, Q1 IS = First quartil of the IS distribution, Q3 IS = Third quartil of the IS distribution, TL = trophic level, TS = trophic similarity.

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Mesonychoteuthis hamiltoni	0.0001966995	0.0001365333	0.0002661351	29	4.41	0.028
Orcinus orca	0.0001557436	0.0001064541	0.0003277949	26	5.03	0.037
Mirounga leonina	0.0001314364	9.396677e-05	0.0001564687	56	4.87	0.080
Hydrurga leptonyx	0.0001162399	8.113601e-05	0.0001403405	67	4.72	0.094
Leptonychotes weddelli	0.0001137129	8.153871e-05	0.0001387107	59	4.86	0.084
Ommatophoca rossii	0.0001124936	8.260369e-05	0.0001351128	56	4.87	0.080
Galiteuthis glacialis	0.0001120608	9.357928e-05	0.0001553956	30	3.26	0.039
Physeter macrocephalus	0.0001036752	8.089059e-05	0.0001732205	20	4.47	0.048
Arctocephalus gazella	0.0001021457	7.473746e-05	0.0001268715	61	4.67	0.093
Gonatus antarcticus	9.652858e-05	7.249701e-05	0.0001377233	36	4.31	0.046

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Kondakovia longimana	9.585928e-05	7.611336e-05	0.0001235262	25	3.26	0.039
Champscephalus gunnari	9.122016e-05	2.703339e-05	0.0001233331	46	3.72	0.086
Tursiops truncatus	9.075575e-05	7.320882e-05	0.0001471344	20	4.47	0.048
Aptenodytes forsteri	8.73558e-05	6.747587e-05	0.0001018936	53	4.78	0.084
Martialia hyadesi	8.573911e-05	6.897001e-05	0.0001194603	33	4.52	0.043
Macronectes halli	8.539775e-05	6.13833e-05	9.590528e-05	11	4.94	0.026
Notothenia marmorata	8.357614e-05	5.224627e-05	0.0001146762	44	4.09	0.091
Macrourus holotrachys	8.350777e-05	6.255264e-05	0.000100376	85	4.70	0.112
Lagenorhynchus cruciger	8.149072e-05	6.52583e-05	0.0001301868	20	4.47	0.048
Macrourus whitsoni	7.945909e-05	5.320661e-05	0.0001006711	92	4.55	0.124
Alluroteuthis antarcticus	7.703713e-05	6.138693e-05	8.198372e-05	19	4.25	0.029
Cryodraco antarcticus	7.677328e-05	5.455766e-05	0.0001008427	30	3.52	0.089
Moroteuthis ingens	7.611336e-05	3.516164e-05	0.000127813	46	4.04	0.074
Pygoscelis adeliae	7.500139e-05	3.516e-05	0.0001052905	7	3.78	0.026
Balaenoptera physalus	7.449494e-05	3.792601e-05	0.0001051213	37	4.04	0.081
Pleuragramma antarcticum	7.399497e-05	5.203507e-05	8.675948e-05	69	3.58	0.076
Lobodon carcinophaga	7.152872e-05	4.471639e-05	0.0001174308	28	4.24	0.061
Pagetopsis macropterus	7.132802e-05	5.673434e-05	8.291099e-05	76	4.64	0.113
Dacodraco hunteri	7.088062e-05	5.799175e-05	8.541761e-05	65	4.80	0.101
Balaenoptera musculus	6.985667e-05	3.679883e-05	9.719522e-05	37	4.04	0.081
Megaptera novaeangliae	6.325384e-05	5.200255e-05	7.590416e-05	4	3.26	0.024
Chionodraco hamatus	6.279276e-05	4.423083e-05	8.521572e-05	42	3.82	0.107
Muraenolepis marmoratus	6.270604e-05	3.169362e-05	8.740159e-05	36	3.19	0.104
Dissostichus mawsoni	6.133163e-05	3.676014e-05	0.0001260475	87	4.12	0.126
Macronectes giganteus	6.107095e-05	4.338151e-05	7.434798e-05	16	4.30	0.044
Notothenia coriiceps	5.828258e-05	3.221947e-07	8.273394e-05	130	4.27	0.126
Chionodraco myersi	5.714573e-05	4.735192e-05	7.572381e-05	37	4.09	0.094
Gymnoscopelus nicholsi	5.61347e-05	1.97785e-05	7.216516e-05	59	3.71	0.087
Psychroteuthis glacialis	5.44176e-05	2.958838e-05	7.766719e-05	23	3.91	0.054
Fulmarus glacialisoides	5.424222e-05	3.132651e-05	9.14162e-05	17	4.33	0.052
Chaenodraco wilsoni	5.337367e-05	4.376893e-05	7.807835e-05	32	3.30	0.091
Bathylagus antarcticus	5.304983e-05	1.367918e-05	6.369375e-05	61	3.36	0.073
Trematomus hansonii	5.226749e-05	1.093131e-06	7.162206e-05	109	4.36	0.134
Balaenoptera acutorostrata	5.18112e-05	3.469161e-05	7.674102e-05	29	3.74	0.078
Parvicorbucula socialis	5.171502e-05	4.383826e-07	7.265275e-05	91	2.00	0.136
Gymnoscopelus opisthopterus	5.165962e-05	1.53219e-05	6.429446e-05	54	3.40	0.082
Psilaster charcoti	5.00826e-05	1.713054e-06	6.030845e-05	59	4.40	0.082
Daption capense	4.956884e-05	3.339837e-05	8.67314e-05	15	4.39	0.051
Pagodroma nivea	4.886968e-05	3.293823e-05	6.213523e-05	11	4.21	0.045
Procellaria aequinoctialis	4.866293e-05	1.910661e-05	7.685853e-05	8	4.25	0.026
Pagetopsis maculatus	4.839935e-05	3.852502e-05	6.399541e-05	37	4.09	0.094
Electrona antarctica	4.810598e-05	2.214144e-05	5.744989e-05	65	3.48	0.105
Sterna vittata	4.754848e-05	4.39479e-05	5.114905e-05	2	3.88	0.012
Protomyctophum bolini	4.22158e-05	1.873725e-05	5.231825e-05	61	3.44	0.077
Thalassoica antarctica	4.189492e-05	2.220305e-05	7.433589e-05	19	4.32	0.053
Pareledone charcoti	4.057571e-05	1.811205e-05	5.203507e-05	83	4.57	0.108
Gymnodraco acuticeps	3.884877e-05	1.5338e-05	7.665931e-05	61	3.70	0.118
Aphrodroma brevirostris	3.878967e-05	3.033792e-05	5.478687e-05	11	4.20	0.045
Notolepis coatsi	3.873098e-05	2.162952e-05	4.838887e-05	58	3.50	0.073
Trematomus loennbergii	3.560908e-05	4.065414e-07	6.860811e-05	133	4.11	0.115
Gymnoscopelus braueri	3.537628e-05	1.390494e-05	6.115727e-05	62	3.52	0.087
Pentanympion antarcticum	3.486427e-05	2.11512e-05	5.864187e-05	140	3.93	0.099

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Racovitzia glacialis	3.482903e-05	1.395815e-05	7.27228e-05	53	3.54	0.114
Cygnodraco mawsoni	3.476307e-05	2.245787e-05	5.878673e-05	84	3.98	0.139
Pachyptila desolata	3.4193e-05	2.115317e-05	5.085189e-05	33	4.23	0.079
Oceanites oceanicus	3.399299e-05	1.910661e-05	4.551958e-05	8	4.07	0.033
Pareledone antarctica	3.236671e-05	1.999473e-06	5.893857e-05	107	4.41	0.120
Arteidraco orianae	3.176689e-05	9.799844e-06	5.862247e-05	52	3.76	0.117
Gerlachea australis	3.142521e-05	2.082568e-05	5.351601e-05	72	3.93	0.134
Callochiton gaussi	3.053632e-05	2.46626e-05	3.970353e-05	15	3.00	0.012
Halobaena caerulea	2.923088e-05	2.08355e-05	6.525857e-05	22	4.25	0.060
Epimeria rubriques	2.886709e-05	9.559123e-06	3.693006e-05	85	3.47	0.157
Muraenolepis microps	2.83404e-05	4.765909e-07	5.728601e-05	88	3.69	0.133
Eusirus perdentatus	2.75491e-05	2.817967e-06	3.715821e-05	114	3.87	0.171
Euphausia superba	2.72961e-05	3.679194e-09	3.876641e-05	163	2.27	0.120
Puncturella conica	2.714755e-05	2.866116e-07	4.340499e-05	80	2.98	0.093
Pachycara brachycephalum	2.552969e-05	1.594504e-05	3.250969e-05	67	3.97	0.132
Prionodraco evansii	2.545579e-05	1.517545e-05	4.78598e-05	61	3.45	0.115
Epimeria robusta	2.461266e-05	1.158704e-05	3.147236e-05	90	3.46	0.159
Sterna paradisaea	2.43306e-05	1.491039e-05	4.677914e-05	7	4.04	0.031
Tryphosella murrayi	2.421157e-05	1.922695e-05	2.860685e-05	96	3.88	0.160
Pseudosagitta maxima	2.321101e-05	1.025065e-05	2.533475e-05	15	3.16	0.044
Pogonophryne permitini	2.318067e-05	6.667868e-07	3.826938e-05	104	3.93	0.142
Hyperia macrocephala	2.243137e-05	1.93218e-05	2.564952e-05	58	4.36	0.135
Desmonema glaciale	2.230202e-05	1.627485e-05	2.768185e-05	19	3.72	0.058
Pseudosagitta gazellae	2.173114e-05	1.972565e-05	2.23042e-05	11	3.18	0.029
Pogonophryne marmorata	2.166179e-05	1.228499e-06	5.183533e-05	70	3.68	0.119
Trematomus eulepidotus	2.164313e-05	4.187295e-06	5.738943e-05	71	3.64	0.117
Pogonophryne phyllopogon	2.161291e-05	6.300283e-07	4.367464e-05	103	3.92	0.145
Abyssochomene nodimanus	2.14144e-05	7.123154e-06	3.61006e-05	137	4.21	0.130
Pogonophryne barsukovi	2.132162e-05	4.990555e-07	4.303784e-05	104	3.93	0.142
Pogonophryne scotti	2.124038e-05	3.765903e-07	4.671151e-05	104	3.93	0.142
Primno macropa	2.004274e-05	1.540213e-05	2.374577e-05	74	3.56	0.150
Trematomus pennellii	1.936685e-05	3.329101e-07	5.753708e-05	192	4.04	0.158
Eusirus antarcticus	1.84164e-05	1.714363e-05	2.161291e-05	53	3.17	0.148
Liljeborgia georgiana	1.818318e-05	4.795309e-06	2.339604e-05	146	3.46	0.153
Aethotaxis mitopteryx	1.808874e-05	8.276477e-07	3.506017e-05	109	3.88	0.149
Themisto gaudichaudii	1.799074e-05	1.382881e-05	2.136403e-05	74	3.56	0.150
Trematomus nicolai	1.729916e-05	2.513011e-07	4.353583e-05	113	3.85	0.140
Periphylla periphylla	1.690793e-05	1.207214e-05	2.107191e-05	19	3.72	0.058
Callianira antarctica	1.679534e-05	8.341951e-06	2.968281e-05	28	3.60	0.064
Beroe cucumis	1.643935e-05	1.336421e-05	2.275433e-05	18	3.33	0.040
Cliione antarctica	1.631213e-05	1.354922e-05	1.771916e-05	56	2.58	0.075
Lyrocteis flavopallidus	1.290995e-05	6.625389e-06	1.865211e-05	28	3.60	0.064
Dipulmaris antarctica	1.287384e-05	1.08976e-05	1.730424e-05	14	3.80	0.040
Solmundella bitentaculata	1.278612e-05	1.002709e-05	1.718462e-05	8	3.90	0.020
Cyllopus lucasii	1.232083e-05	1.424223e-08	2.438327e-05	165	2.39	0.156
Cliione limacina	1.231628e-05	1.096148e-05	1.344297e-05	51	3.87	0.073
Clio pyramidata	1.229065e-05	1.021723e-05	1.371786e-05	58	3.16	0.088
Paraceradocus gibber	1.195645e-05	3.556344e-09	3.090785e-05	151	2.80	0.171
Eukrohnia hamata	1.123897e-05	9.347908e-06	1.350025e-05	38	3.16	0.075
Sagitta marri	1.088242e-05	7.25518e-06	1.129513e-05	17	3.16	0.048
Urticinopsis antarctica	1.086385e-05	2.268933e-06	1.724226e-05	27	3.76	0.078
Thysanoessa macrura	1.073406e-05	1.493036e-08	2.202282e-05	145	2.41	0.117

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Atolla wyvillei</i>	1.071082e-05	4.750118e-06	1.259985e-05	20	3.52	0.065
<i>Scolymastra joubini</i>	1.06115e-05	8.287471e-06	2.07311e-05	44	2.00	0.156
<i>Euphausia crystallorophias</i>	1.055721e-05	5.831225e-09	3.024803e-05	132	2.08	0.119
<i>Anoxycalyx joubini</i>	1.035041e-05	7.809468e-06	1.97624e-05	48	2.00	0.153
<i>Aegires albus</i>	1.006194e-05	5.864608e-07	1.570102e-05	60	3.00	0.092
<i>Odontaster meridionalis</i>	9.865129e-06	5.888296e-06	1.047482e-05	41	2.97	0.053
<i>Dimophyes arctica</i>	9.776935e-06	4.359833e-06	1.138698e-05	20	3.52	0.065
<i>Diphyes antarctica</i>	9.776935e-06	4.359833e-06	1.138698e-05	20	3.52	0.065
<i>Rhodalia miranda</i>	9.776935e-06	4.359833e-06	1.138698e-05	20	3.52	0.065
<i>Rossella nuda</i>	9.610958e-06	7.08422e-06	1.640458e-05	45	2.00	0.159
<i>Heterophoxus videns</i>	9.514281e-06	2.549281e-08	1.512433e-05	157	2.51	0.153
<i>Bargmannia</i>	9.340493e-06	7.934205e-06	1.189537e-05	56	3.33	0.091
<i>Rhincalanus gigas</i>	9.262505e-06	2.965445e-08	1.330863e-05	166	2.15	0.135
<i>Euphausia frigida</i>	8.601328e-06	1.495368e-08	2.231491e-05	137	2.27	0.119
<i>Melphidippa antarctica</i>	8.472612e-06	3.582393e-06	2.216866e-05	121	3.04	0.119
<i>Paraeuchaeta antarctica</i>	8.438333e-06	3.987499e-08	1.172287e-05	171	2.21	0.135
<i>Rhachotropis antarctica</i>	7.830221e-06	2.128528e-08	1.907372e-05	185	3.02	0.176
<i>Ammothea carolinensis</i>	7.817372e-06	3.858615e-06	3.302595e-05	135	3.93	0.099
<i>Calanus propinquus</i>	7.815191e-06	4.404369e-08	1.125116e-05	165	2.15	0.135
<i>Calanoides acutus</i>	7.662196e-06	4.533452e-08	1.113364e-05	166	2.17	0.136
<i>Vibilia stebbingi</i>	7.645086e-06	6.323715e-06	8.342107e-06	90	3.56	0.143
<i>Vibilia antarctica</i>	7.644671e-06	6.323715e-06	8.299484e-06	91	3.56	0.142
<i>Cnemidocarpa verrucosa</i>	7.439573e-06	1.379108e-06	1.658624e-05	7	2.00	0.041
<i>Nymphon gracillimum</i>	7.430778e-06	3.652224e-06	3.342044e-05	135	3.93	0.099
<i>Metridia gerlachei</i>	7.38965e-06	7.543234e-08	9.955142e-06	166	2.15	0.134
<i>Conchoecia hettacra</i>	7.006881e-06	6.183068e-06	8.674486e-06	77	3.24	0.119
<i>Limacina helicina antarctica</i>	6.126709e-06	5.241574e-06	7.219788e-06	62	3.16	0.092
<i>Stylocordyla borealis</i>	5.822439e-06	4.382217e-06	1.004552e-05	43	2.00	0.157
<i>Kirkpatrickia variolosa</i>	5.559206e-06	4.339895e-06	9.818171e-06	46	2.00	0.152
<i>Rossella racovitzae</i>	5.559206e-06	4.382541e-06	9.494407e-06	48	2.00	0.154
<i>Tetilla leptoderma</i>	5.214065e-06	3.985559e-06	8.93518e-06	49	2.00	0.152
<i>Serolella bouveri</i>	5.149662e-06	9.177471e-07	1.61616e-05	90	3.99	0.157
<i>Serolis polita</i>	5.149662e-06	9.177471e-07	1.61616e-05	90	3.99	0.157
<i>Conchoecia antipoda</i>	4.993181e-06	1.079134e-07	7.527226e-06	135	2.33	0.142
<i>Nuttallochiton mirandus</i>	4.929629e-06	3.659066e-06	6.304709e-06	54	3.00	0.043
<i>Uristes gigas</i>	4.795309e-06	1.670862e-08	2.195962e-05	184	2.84	0.161
<i>Rossella antarctica</i>	4.283668e-06	3.095328e-06	7.929445e-06	43	2.00	0.157
<i>Rossella tarenja</i>	4.283668e-06	3.095328e-06	7.929445e-06	43	2.00	0.157
<i>Systemopora contracta</i>	4.126159e-06	2.765603e-06	9.23245e-06	31	2.00	0.125
<i>Mycale acerata</i>	4.113049e-06	3.134559e-06	7.905566e-06	44	2.00	0.156
<i>Oediceroides calmani</i>	3.850251e-06	7.638714e-09	2.384333e-05	153	2.77	0.166
<i>Waldeckia obesa</i>	3.718547e-06	2.386092e-06	2.210886e-05	197	3.52	0.138
<i>Epimeriella walkeri</i>	3.700698e-06	2.10983e-08	2.040712e-05	217	2.88	0.148
<i>Luidiaster gerlachei</i>	3.642808e-06	3.826461e-07	6.564107e-06	18	3.76	0.083
<i>Tritoniella belli</i>	3.591963e-06	2.221087e-06	5.982454e-06	87	2.98	0.085
<i>Axociella nidificata</i>	3.582981e-06	2.640696e-06	6.800686e-06	43	2.00	0.157
<i>Chorismus antarcticus</i>	3.529682e-06	2.283676e-08	9.977013e-06	213	3.14	0.139
<i>Cassidulinoides parkerianus</i>	3.496702e-06	6.226157e-08	5.425029e-06	86	2.00	0.124
<i>Cibicides refulgens</i>	3.496702e-06	4.063476e-08	5.425029e-06	89	2.00	0.129
<i>Globocassidulina crassa</i>	3.496702e-06	4.063476e-08	5.425029e-06	89	2.00	0.129
<i>Ekmocucumis turqueti turqueti</i>	3.496681e-06	3.065034e-06	6.097999e-06	16	2.00	0.110
<i>Eulagisca gigantea</i>	3.390802e-06	5.470998e-07	1.653661e-05	142	3.80	0.167

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Laetmonice producta	3.387178e-06	8.431738e-07	1.472737e-05	136	3.94	0.178
Isodyctia cavicornuta	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Isodyctia toxophila	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Tedania oxeata	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Tedania tantulata	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Tedania vanhoeffeni	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Tentorium papillatum	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Tentorium semisuberites	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Lenticulina antarctica	3.305791e-06	4.145444e-08	5.425029e-06	90	2.00	0.130
Isodyctia steifera	3.303905e-06	2.615016e-06	6.324263e-06	44	2.00	0.156
Haliclona dancoi	3.259771e-06	2.567476e-06	6.143582e-06	47	2.00	0.151
Haliclona tenella	3.259771e-06	2.567476e-06	6.143582e-06	47	2.00	0.151
Abyssorchomene rossi	3.232173e-06	5.680414e-09	2.333385e-05	164	2.65	0.156
Polyeunoa laevis	3.227399e-06	1.168458e-06	1.769131e-05	111	3.82	0.168
Primnoisis antarctica	3.155627e-06	1.532379e-06	8.083401e-06	39	3.52	0.117
Neogloboquadriana pachyderma	2.962716e-06	4.063476e-08	5.425029e-06	93	2.00	0.134
Ophioperla ludwigi	2.95261e-06	1.957285e-06	4.283668e-06	97	3.36	0.114
Cephalodiscus	2.9162e-06	2.080875e-06	3.131541e-06	4	2.00	0.038
Clathria pauper	2.818314e-06	2.135506e-06	4.966348e-06	43	2.00	0.157
Iophon radiatus	2.818314e-06	2.135506e-06	4.966348e-06	43	2.00	0.157
Aporocidaris milleri	2.762191e-06	1.941539e-06	3.094294e-06	60	3.31	0.075
Calyx arcuarius	2.737104e-06	2.180315e-06	4.947989e-06	44	2.00	0.156
Acodontaster conspicuus	2.721805e-06	8.334597e-07	4.273976e-06	13	3.00	0.042
Epimeria macrodonta	2.67354e-06	1.18306e-08	2.043938e-05	198	2.68	0.145
Homaxinella balfourensis	2.655894e-06	2.105425e-06	4.755457e-06	47	2.00	0.155
Ophiurolepis gelida	2.644838e-06	2.211203e-08	6.382925e-06	206	2.99	0.140
Colossendeis scotti	2.64206e-06	1.694946e-06	4.023995e-05	135	3.93	0.099
Flustra antarctica	2.64206e-06	1.881028e-06	6.143582e-06	31	2.00	0.125
Nematoflustra flagellata	2.64206e-06	1.881028e-06	6.143582e-06	31	2.00	0.125
Acodontaster hodgsoni	2.601068e-06	8.685232e-07	4.403865e-06	13	3.00	0.042
Astrochlamys bruneus	2.587451e-06	8.605022e-07	7.587963e-06	37	3.52	0.095
Bathydorus spinosus	2.57399e-06	1.880074e-06	4.388184e-06	43	2.00	0.157
Phorbas areolatus	2.57399e-06	1.880074e-06	4.388184e-06	43	2.00	0.157
Phorbas glaberrima	2.57399e-06	1.880074e-06	4.388184e-06	43	2.00	0.157
Odontaster validus	2.571906e-06	1.434346e-07	4.843179e-06	234	3.30	0.143
Eunoe spica	2.568684e-06	1.116468e-06	2.525976e-05	214	4.04	0.151
Ophiurolepis brevirima	2.531271e-06	2.216955e-08	5.423095e-06	223	3.01	0.143
Harpovoluta charcoti	2.522699e-06	7.847645e-07	3.659066e-06	79	3.02	0.089
Bathyplotes bongraini	2.455535e-06	2.275857e-06	4.224054e-06	17	2.00	0.111
Bathyplotes gourdoni	2.455535e-06	2.275857e-06	4.224054e-06	17	2.00	0.111
Solaster dawsoni	2.432853e-06	7.130127e-07	4.574601e-06	29	3.72	0.079
Ctenocidaris spinosa	2.41577e-06	1.742019e-06	2.777368e-06	75	3.25	0.075
Latrunculia apicalis	2.399592e-06	1.827416e-06	4.131959e-06	43	2.00	0.157
Latrunculia brevis	2.399592e-06	1.827416e-06	4.131959e-06	43	2.00	0.157
Acodontaster capitatus	2.385964e-06	9.363928e-07	3.963421e-06	13	3.00	0.042
Polymastia isidis	2.361721e-06	1.804414e-06	3.955252e-06	43	2.00	0.157
Echiniphimedia hodgsoni	2.35588e-06	1.300985e-06	3.29937e-06	83	2.97	0.129
Polymastia invaginata	2.261599e-06	1.827176e-06	3.941328e-06	44	2.00	0.156
Gorgonocephalus chiliensis	2.251199e-06	1.460738e-06	3.920062e-06	25	3.17	0.080
Notocidaris mortenseni	2.228635e-06	1.748268e-06	2.665876e-06	54	3.00	0.046
Reteporella hippocrepis	2.225124e-06	1.540844e-06	4.755457e-06	31	2.00	0.125
Pontiothauma ergata	2.194892e-06	8.222632e-07	4.507223e-06	41	4.24	0.117

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Ekmocucumis steineni</i>	2.135506e-06	1.890437e-06	3.60883e-06	16	2.00	0.110
<i>Ekmocucumis turqueti</i>	2.135506e-06	1.890437e-06	3.60883e-06	16	2.00	0.110
<i>Austrodoris kerguelensis</i>	2.13174e-06	1.121023e-06	4.228831e-06	36	3.00	0.098
<i>Arteidraco loennbergi</i>	2.082949e-06	6.357904e-07	2.8498e-05	133	3.88	0.143
<i>Notocrangon antarcticus</i>	2.068323e-06	1.906859e-08	5.769274e-06	178	2.88	0.101
<i>Eucranta mollis</i>	2.067919e-06	9.214985e-07	4.391933e-06	68	2.00	0.158
<i>Chiridota weddellensis</i>	2.045889e-06	1.871125e-06	3.578208e-06	17	2.00	0.111
<i>Molpadia musculus</i>	2.045889e-06	1.871125e-06	3.578208e-06	17	2.00	0.111
<i>Ophionotus victoriae</i>	2.042432e-06	1.265292e-08	3.311959e-06	217	2.97	0.147
<i>Eunoe spica spicoides</i>	2.003808e-06	9.850306e-07	2.118929e-05	249	3.94	0.142
<i>Barrukia cristata</i>	1.999498e-06	9.263304e-07	2.739395e-06	99	3.71	0.150
<i>Molgula pedunculata</i>	1.993777e-06	5.674483e-07	7.165311e-06	5	2.00	0.048
<i>Gnathiphimedia mandibularis</i>	1.976631e-06	1.189502e-06	2.669946e-06	102	3.00	0.115
<i>Oediceroides emarginatus</i>	1.976631e-06	3.34963e-09	3.085097e-05	153	2.77	0.166
<i>Ceratoserolis meridionalis</i>	1.961986e-06	1.035259e-06	2.12443e-05	90	3.99	0.157
<i>Frontoserolis bouvieri</i>	1.961986e-06	1.035259e-06	2.12443e-05	90	3.99	0.157
<i>Eunoe hartmanae</i>	1.9577e-06	7.961559e-07	1.067148e-05	152	3.78	0.167
<i>Harmothoe crosetensis</i>	1.943487e-06	9.641638e-07	5.352745e-06	170	3.73	0.154
<i>Harmotoe hartmanae</i>	1.943487e-06	9.641638e-07	5.352745e-06	170	3.73	0.154
<i>Epimeria similis</i>	1.889469e-06	4.685747e-09	2.557948e-05	159	2.49	0.148
<i>Fasciculiporoides ramosa</i>	1.8832e-06	1.34243e-06	4.212708e-06	31	2.00	0.125
<i>Ophioperla koehleri</i>	1.875883e-06	9.00415e-07	2.709756e-06	21	2.00	0.075
<i>Promachocrinus kerguelensis</i>	1.830215e-06	1.009571e-06	4.171551e-06	8	2.00	0.055
<i>Anthometra adriani</i>	1.800754e-06	6.731522e-07	3.043996e-06	7	2.00	0.047
<i>Bathyanoploea schellenbergi</i>	1.763848e-06	7.04757e-09	2.557948e-05	195	2.87	0.146
<i>Harmothoe spinosa</i>	1.740063e-06	9.177645e-07	3.471285e-06	212	3.72	0.146
<i>Dolloidraco longedorsalis</i>	1.718874e-06	7.008707e-07	2.527875e-05	168	3.72	0.150
<i>Aplidium vastum</i>	1.713054e-06	4.765909e-07	5.982454e-06	5	2.00	0.048
<i>Corella eumyota</i>	1.713054e-06	4.765909e-07	5.982454e-06	5	2.00	0.048
<i>Cinachyra antarctica</i>	1.699815e-06	1.230601e-06	2.984104e-06	44	2.00	0.157
<i>Camptoplites tricornis</i>	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
<i>Caulastraea curvata</i>	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
<i>Chondriovelum adeliense</i>	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
<i>Flustra angusta</i>	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
<i>Isoschizoporella tricuspis</i>	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
<i>Melicerita obliqua</i>	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
<i>Synoicum adareanum</i>	1.665199e-06	4.381975e-07	5.273584e-06	5	2.00	0.048
<i>Alexandrella mixta</i>	1.663223e-06	7.912314e-07	2.884076e-06	59	3.92	0.142
<i>Ypsilocucumis turricata</i>	1.662638e-06	1.454499e-06	2.813344e-06	17	2.00	0.111
<i>Cinachyra barbata</i>	1.647693e-06	1.204861e-06	2.986456e-06	43	2.00	0.157
<i>Ctenocidaris perrieri</i>	1.638565e-06	1.092832e-06	1.775688e-06	68	3.27	0.067
<i>Iphimediella cyclogena</i>	1.607865e-06	8.22175e-07	3.540431e-06	86	3.44	0.115
<i>Ophioparte gigas</i>	1.578546e-06	4.184036e-07	8.674486e-06	301	3.43	0.155
<i>Ainigmaptilon antarcticus</i>	1.564434e-06	9.019493e-07	2.032461e-06	23	2.00	0.102
<i>Alcyonium antarcticum</i>	1.564434e-06	9.019493e-07	2.032461e-06	23	1.00	0.096
<i>Armadilloorgia cyathella</i>	1.564434e-06	9.019493e-07	2.032461e-06	23	2.00	0.102
<i>Primnoella</i>	1.564434e-06	9.019493e-07	2.032461e-06	23	2.00	0.102
<i>Trematomus scotti</i>	1.534496e-06	3.630501e-07	3.21887e-05	146	3.82	0.153
<i>Maxilliphimedia longipes</i>	1.531616e-06	7.172848e-07	2.908428e-06	60	3.26	0.136
<i>Laternula elliptica</i>	1.522498e-06	5.942141e-07	2.698016e-06	30	2.00	0.094
<i>Paramoera walkeri</i>	1.516919e-06	6.985279e-07	2.998968e-06	60	3.92	0.143
<i>Ctenocidaris gigantea</i>	1.5006e-06	1.073329e-06	1.717092e-06	70	3.27	0.071



Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Limopsis marionensis</i>	1.408062e-06	6.952555e-07	2.432853e-06	29	2.00	0.094
<i>Eurythenes gryllus</i>	1.375984e-06	7.295642e-07	3.640816e-05	210	3.53	0.136
<i>Artefidraco skottsbergi</i>	1.369463e-06	5.540179e-07	2.932412e-05	135	3.86	0.138
<i>Ctenocidaris gilberti</i>	1.352572e-06	1.073329e-06	1.710216e-06	53	3.00	0.042
<i>Trematomus lepidorhinus</i>	1.318084e-06	3.576357e-07	3.940591e-05	95	3.81	0.123
<i>Sterechinus neumayeri</i>	1.215256e-06	4.25418e-09	2.718674e-06	141	2.68	0.119
<i>Perknaster fuscus antarcticus</i>	1.194931e-06	2.753774e-07	3.415098e-06	10	2.67	0.055
<i>Harpagifer antarcticus</i>	1.190703e-06	3.41474e-07	3.927767e-05	78	3.80	0.102
<i>Austroflustra vulgaris</i>	1.182237e-06	8.365443e-07	2.659508e-06	31	2.00	0.125
<i>Bathydoris clavigera</i>	1.179676e-06	6.291801e-07	2.44622e-06	46	3.16	0.107
<i>Taeniogyrus contortus</i>	1.172794e-06	9.248071e-07	1.778477e-06	20	2.00	0.110
<i>Abyssochalcidopsis liouvillei</i>	1.149352e-06	1.019204e-06	1.958169e-06	16	2.00	0.110
<i>Achlyonice violaceuspidata</i>	1.116468e-06	1.010603e-06	1.944296e-06	17	2.00	0.111
<i>Astrotoma agassizii</i>	1.116468e-06	7.454145e-09	2.533885e-06	223	2.86	0.123
<i>Phyllocomus crocea</i>	1.113239e-06	5.092776e-07	2.135343e-06	66	2.00	0.152
<i>Ascidia challengerii</i>	1.092832e-06	2.745978e-07	3.50275e-06	5	2.00	0.048
<i>Notaeolidia gigas</i>	1.066349e-06	4.772955e-07	2.178256e-06	28	3.90	0.105
<i>Momoculodes scabriculosus</i>	1.050742e-06	5.083635e-07	2.16553e-06	49	2.00	0.144
<i>Pseudorchomene coatsi</i>	1.050742e-06	5.083635e-07	2.16553e-06	49	2.00	0.144
<i>Pteraster affinis aculeatus</i>	1.024164e-06	3.780034e-07	1.961656e-06	12	3.00	0.042
<i>Bostrychopora dentata</i>	1.017465e-06	7.336209e-07	2.2634e-06	31	2.00	0.125
<i>Lageneschara lyrulata</i>	1.017465e-06	7.336209e-07	2.2634e-06	31	2.00	0.125
<i>Austrocidaris canaliculata</i>	1.015927e-06	5.429963e-07	1.971806e-06	25	3.77	0.030
<i>Lysasterias perrieri</i>	1.014956e-06	2.965157e-07	2.035275e-06	30	3.46	0.088
<i>Glyptonotus antarcticus</i>	1.004102e-06	5.094286e-07	1.466329e-06	121	3.88	0.117
<i>Psolus antarcticus</i>	1.001795e-06	9.248071e-07	1.778477e-06	16	2.00	0.110
<i>Psolus dubiosus</i>	1.001795e-06	9.248071e-07	1.778477e-06	16	2.00	0.110
<i>Epimeria georgiana</i>	9.882144e-07	4.654007e-09	2.709148e-05	139	2.53	0.169
<i>Neobuccinum eatoni</i>	9.663427e-07	4.127796e-07	2.140693e-06	34	3.00	0.100
<i>Pista spinifera</i>	9.635585e-07	4.350614e-07	1.88962e-06	66	2.00	0.152
<i>Terebella ehlersi</i>	9.635585e-07	4.350614e-07	1.88962e-06	66	2.00	0.152
<i>Psolus charcoti</i>	9.462423e-07	8.658855e-07	1.637238e-06	16	2.00	0.110
<i>Mesothuria lactea</i>	9.446587e-07	8.703439e-07	1.618766e-06	17	2.00	0.111
<i>Parschisturella ceruviata</i>	8.965456e-07	4.649595e-07	1.772197e-06	45	2.00	0.139
<i>Tubularia ralphii</i>	8.945726e-07	4.271453e-07	2.078996e-06	53	3.44	0.122
<i>Pseudostichopus mollis</i>	8.835413e-07	8.070608e-07	1.483513e-06	17	2.00	0.111
<i>Pseudostichopus villosus</i>	8.835413e-07	8.070608e-07	1.483513e-06	17	2.00	0.111
<i>Psolidium incertum</i>	8.835413e-07	8.070608e-07	1.483513e-06	17	2.00	0.111
<i>Trachythone parva</i>	8.835413e-07	8.070608e-07	1.483513e-06	17	2.00	0.111
<i>Pyura setosa</i>	8.714568e-07	2.352571e-07	3.047592e-06	5	2.00	0.048
<i>Diplasterias brucei</i>	8.295899e-07	4.136254e-07	1.568119e-06	29	3.83	0.052
<i>Macroptychaster accrescens</i>	8.239546e-07	4.261457e-07	1.279301e-06	46	3.80	0.076
Arcturidae	8.201596e-07	4.976851e-07	1.634549e-06	30	2.00	0.117
<i>Tritonia antarctica</i>	8.075119e-07	3.99966e-07	2.03193e-06	28	2.50	0.104
<i>Yolida eightsi</i>	7.931386e-07	3.838922e-07	1.610648e-06	37	2.00	0.102
<i>Notasterias armata</i>	7.855177e-07	4.335495e-07	1.413919e-06	12	3.00	0.042
<i>Pyura tunicata</i>	7.850349e-07	2.107837e-07	2.69732e-06	5	2.00	0.048
<i>Scotoplanes globosa</i>	7.837104e-07	6.72324e-07	1.391294e-06	17	2.00	0.111
<i>Notasterias stylophora</i>	7.75167e-07	3.577487e-07	1.156665e-06	12	3.00	0.042
<i>Pyura discoveryi</i>	7.3857e-07	1.938013e-07	2.596526e-06	5	2.00	0.048
<i>Labidiaster annulatus</i>	7.262738e-07	4.357885e-07	1.819104e-06	144	3.89	0.128
<i>Cylindrotheca closterium</i>	6.789966e-07	5.640899e-07	9.306303e-07	81	1.00	0.202

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Gyrodinium lachryama	6.784794e-07	5.185108e-07	8.60802e-07	35	2.00	0.107
Aega antarctica	6.649717e-07	4.114656e-07	1.310033e-06	30	2.00	0.117
Lophaster gaini	6.595062e-07	2.754117e-07	1.173701e-06	12	3.00	0.042
Pyura bouvetensis	6.409226e-07	1.730817e-07	2.279512e-06	5	2.00	0.048
Elpidia glacialis	6.331611e-07	5.362027e-07	1.075839e-06	17	2.00	0.111
Laetmogone wyvillethompsoni	6.331611e-07	5.362027e-07	1.075839e-06	17	2.00	0.111
Echinopsolus acanthocola	6.205844e-07	5.173159e-07	1.012782e-06	16	2.00	0.110
Gnathia calva	6.071912e-07	2.28328e-07	5.153946e-06	48	3.56	0.126
Probuccinum tenuistriatum	6.016794e-07	1.427121e-07	5.366457e-05	41	4.24	0.117
Propeleda longicaudata	5.925714e-07	2.127886e-07	9.544477e-07	25	2.00	0.073
Thalassiosira antarctica	5.700961e-07	4.754783e-07	7.691411e-07	81	1.00	0.202
Hyperiella dilatata	5.576053e-07	3.653766e-08	1.336307e-05	129	2.15	0.157
Ophioceres incipiens	5.397046e-07	1.891863e-08	8.42434e-06	154	2.69	0.120
Liothyrella uva	5.113625e-07	2.583111e-07	7.644138e-07	2	2.00	0.041
Liothyrella uva antarctica	5.113625e-07	2.583111e-07	7.644138e-07	2	2.00	0.041
Amauropopsis rossiana	5.088914e-07	2.160463e-07	1.434277e-06	30	3.32	0.105
Magellania fragilis	5.085476e-07	2.569214e-07	7.601738e-07	2	2.00	0.041
Limopsis lillei	5.070776e-07	2.363936e-07	8.832921e-07	29	2.00	0.094
Marseniopsis conica	4.667714e-07	2.039452e-07	1.285786e-06	28	3.00	0.103
Marseniopsis mollis	4.667714e-07	2.039452e-07	1.285786e-06	28	3.00	0.103
Marginella ealesa	4.625519e-07	2.085234e-07	9.193742e-07	28	2.00	0.114
Newnesia antarctica	4.625519e-07	2.085234e-07	9.193742e-07	28	2.00	0.114
Trematomus bernacchii	4.593613e-07	2.006028e-07	1.341004e-05	118	3.62	0.104
Amphidinium hadai	4.421246e-07	3.241335e-07	6.109879e-07	35	2.00	0.107
Sycozoa sigillinoides	4.261457e-07	1.097194e-07	1.433384e-06	5	2.00	0.048
Falsimargarita gemma	4.133372e-07	1.797468e-07	8.051013e-07	28	2.00	0.114
Diastylis mawsoni	3.634029e-07	2.845198e-07	4.725055e-07	8	2.00	0.044
Ekleptostylis debroyeri	3.634029e-07	2.845198e-07	4.725055e-07	8	2.00	0.044
Chaetoceros socialis	3.608027e-07	2.633108e-07	4.29925e-07	81	1.00	0.202
Fissidentalium majorinum	3.411732e-07	2.509714e-07	6.668215e-07	6	2.00	0.035
Natatolana meridionalis	3.347924e-07	2.10849e-07	6.616101e-07	31	2.00	0.117
Natatolana obtusata	3.347924e-07	2.10849e-07	6.616101e-07	31	2.00	0.116
Natatolana oculata	3.347924e-07	2.074642e-07	6.660774e-07	30	2.00	0.117
Cuenotaster involutus	3.086356e-07	2.316226e-07	1.299956e-06	8	2.00	0.061
Nacella concinna	3.049763e-07	1.976903e-07	7.906499e-07	21	3.00	0.083
Lissarca notorcadensis	3.010757e-07	1.881614e-07	5.95349e-07	32	2.00	0.094
Trophon longstaffi	2.519385e-07	1.100545e-07	1.76048e-06	34	3.00	0.098
Pelagobia longicirrata	2.445062e-07	6.995065e-08	1.339122e-06	137	2.12	0.132
Compsothyris racovitzae	2.323979e-07	1.228803e-07	3.419154e-07	2	2.00	0.041
Magellania joubini	2.323979e-07	1.228803e-07	3.419154e-07	2	2.00	0.041
Golfingia margaritacea margaritacea	2.227077e-07	1.120792e-07	3.333363e-07	2	2.00	0.047
Munna globicauda	2.148629e-07	1.348937e-07	4.255366e-07	30	2.00	0.117
Baseodiscus antarcticus	2.106178e-07	1.337076e-07	2.60481e-07	90	3.53	0.070
Lineus longifissus	2.106178e-07	1.337076e-07	2.60481e-07	90	3.53	0.070
Parborlasia corrugatus	2.106178e-07	1.337076e-07	2.60481e-07	90	3.53	0.070
Alomasoma belyaevi	1.956442e-07	9.881887e-08	2.924695e-07	2	2.00	0.047
Monocaulus parvula	1.761507e-07	3.97151e-09	2.132574e-06	115	2.37	0.145
Cyclocardia astartoides	1.687487e-07	4.492885e-08	4.136948e-07	18	2.00	0.075
Vanadis antarctica	1.637624e-07	4.405846e-08	6.872733e-07	140	2.34	0.165
Perknaster densus	1.525828e-07	1.525828e-07	6.508076e-07	7	2.00	0.060
Cycethra verrucosa mawsoni	1.434346e-07	1.434346e-07	5.985218e-07	7	2.00	0.060

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Alacia belgicae</i>	1.414822e-07	8.468252e-08	4.240307e-07	124	2.08	0.130
<i>Alacia hettacra</i>	1.414822e-07	8.468252e-08	4.240307e-07	124	2.08	0.130
<i>Boroecia antipoda</i>	1.414822e-07	8.468252e-08	4.240307e-07	124	2.08	0.130
<i>Metaconchoecia isocheira</i>	1.414822e-07	8.468252e-08	4.240307e-07	124	2.08	0.130
<i>Crania lecointei</i>	1.389486e-07	9.124532e-08	1.866519e-07	2	2.00	0.041
<i>Notioceramus anomalus</i>	1.335162e-07	1.335162e-07	5.656196e-07	7	2.00	0.060
<i>Cadulus dalli antarcticum</i>	1.261431e-07	8.886378e-08	2.563518e-07	6	2.00	0.035
<i>Golfingia nordenskojoeldi</i>	1.255994e-07	7.181644e-08	1.793823e-07	2	2.00	0.047
<i>Phascolion strombi</i>	1.255994e-07	7.181644e-08	1.793823e-07	2	2.00	0.047
<i>Perknaster sladeni</i>	1.240537e-07	1.240537e-07	5.271194e-07	7	2.00	0.060
<i>Silicularia rosea</i>	1.171115e-07	5.054664e-08	4.783046e-07	118	2.37	0.143
<i>Hamingia</i>	9.209379e-08	4.941022e-08	1.347774e-07	2	2.00	0.047
<i>Rhynchonereella bongraini</i>	8.607902e-08	4.570314e-08	2.739096e-07	84	2.12	0.114
<i>Maxmuelleria faex</i>	7.807225e-08	4.285686e-08	1.132876e-07	2	2.00	0.047
<i>Kampylaster incurvatus</i>	7.755344e-08	7.755344e-08	3.528815e-07	7	2.00	0.060
<i>Golfingia anderssoni</i>	6.023754e-08	3.680015e-08	8.367493e-08	2	2.00	0.047
<i>Coscinodiscus oculoides</i>	5.893196e-08	2.473824e-08	1.580011e-07	81	1.00	0.202
<i>Golfingia ohlini</i>	5.673089e-08	4.966455e-08	6.379722e-08	2	2.00	0.047
<i>Golfingia mawsoni</i>	5.47208e-08	5.062035e-08	5.882126e-08	2	2.00	0.047
<i>Echiurus antarcticus</i>	5.300143e-08	3.603646e-08	6.99664e-08	2	2.00	0.047
<i>Djerboa furcipes</i>	5.224266e-08	1.871665e-08	5.091111e-07	116	2.08	0.154
<i>Oradarea edentata</i>	5.14485e-08	1.865585e-08	5.091111e-07	115	2.08	0.154
<i>Haplocheira plumosa</i>	5.006575e-08	1.778048e-08	5.091111e-07	115	2.08	0.156
<i>Pseudo-Nitzschia liniola</i>	4.62495e-08	2.029961e-08	1.332162e-07	81	1.00	0.202
<i>Ihlea racovitzai</i>	3.585471e-08	2.097115e-08	1.036547e-07	76	2.08	0.089
<i>Salpa gerlachei</i>	3.585471e-08	2.097115e-08	1.036547e-07	76	2.08	0.089
<i>Euchaetomera antarcticus</i>	3.326097e-08	1.378546e-08	1.513431e-05	105	2.36	0.133
<i>Pseudo-Nitzschia subcurvata</i>	3.277963e-08	1.531073e-08	1.070871e-07	81	1.00	0.202
<i>Manguinea fusiformis</i>	3.21218e-08	1.486009e-08	1.025105e-07	81	1.00	0.202
<i>Pseudo-Nitzschia heimii</i>	3.151126e-08	1.446766e-08	9.902539e-08	81	1.00	0.202
<i>Edwardsia meridionalis</i>	2.977446e-08	1.474916e-08	6.125673e-08	75	2.15	0.113
<i>Isosicyonis alba</i>	2.977446e-08	1.474916e-08	6.125673e-08	75	2.15	0.113
<i>Clavularia frankiliana</i>	2.902159e-08	1.37557e-08	1.209989e-06	101	2.35	0.138
<i>Stellarima microtrias</i>	2.805713e-08	1.259511e-08	8.080817e-08	81	1.00	0.202
<i>Peraeospinosus pushkini</i>	2.799688e-08	1.293416e-08	6.008763e-06	104	2.36	0.101
<i>Porosira pseudodenticulata</i>	2.793662e-08	1.252563e-08	7.95878e-08	81	1.00	0.202
<i>Thalassiosira tumida</i>	2.63107e-08	1.159892e-08	6.999178e-08	81	1.00	0.202
<i>Thalassiosira ritscheri</i>	2.624137e-08	1.156513e-08	6.971769e-08	81	1.00	0.202
<i>Thalassiosira lentiginosa</i>	2.617822e-08	1.153437e-08	6.946827e-08	81	1.00	0.202
<i>Ophiacantha antarctica</i>	2.564069e-08	1.26592e-08	4.003492e-07	90	2.16	0.125
<i>Abyssorhomene plebs</i>	2.49287e-08	8.350765e-09	2.216289e-05	107	2.08	0.159
<i>Nitzschia lecointei</i>	2.480364e-08	1.103538e-08	6.447999e-08	81	1.00	0.202
<i>Parmaphorella mawsoni</i>	2.438857e-08	1.375305e-08	2.88734e-07	86	2.00	0.128
<i>Salpa thompsoni</i>	2.430192e-08	1.346447e-08	1.733991e-05	108	2.28	0.103
<i>Actinocyclus actinochilus</i>	2.425541e-08	1.080826e-08	6.279281e-08	81	1.00	0.202
<i>Dictyocha speculum</i>	2.199368e-08	1.385373e-08	4.271537e-08	30	1.00	0.110
<i>Porosira glacialis</i>	2.18237e-08	9.6432e-09	5.636287e-08	81	1.00	0.202
<i>Isotealia antarctica</i>	1.976451e-08	1.180898e-08	6.671012e-08	74	2.21	0.106
<i>Thalassiosira gracilis expecta</i>	1.966764e-08	8.480819e-09	4.996814e-08	81	1.00	0.202
<i>Ampelisca richardsoni</i>	1.959325e-08	6.937939e-09	1.131035e-06	108	2.00	0.159
<i>Actinocyclus spiritus</i>	1.856558e-08	8.096224e-09	4.779338e-08	81	1.00	0.202
<i>Camylaspis maculata</i>	1.812572e-08	1.055327e-08	3.482684e-08	66	2.00	0.097

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Eudorella splendida</i>	1.761209e-08	9.966826e-09	3.239967e-08	68	2.00	0.102
<i>Vaunthompsonia indermis</i>	1.761209e-08	9.966826e-09	3.239967e-08	68	2.00	0.102
<i>Proboscia truncata</i>	1.704812e-08	7.55662e-09	4.386545e-08	81	1.00	0.202
<i>Azpeitia tabularis</i>	1.684713e-08	7.466724e-09	4.31349e-08	81	1.00	0.202
<i>Porania antarctica</i>	1.671115e-08	1.03026e-08	3.64839e-08	72	2.12	0.108
<i>Rhizosolenia antennata</i>	1.63569e-08	6.671586e-09	3.873542e-08	81	1.00	0.202
<i>Manguinea rigida</i>	1.630969e-08	6.992491e-09	4.048219e-08	81	1.00	0.202
<i>Eucampia antarctica</i>	1.597536e-08	6.543489e-09	3.803298e-08	81	1.00	0.202
<i>Thalassiosira trifulta</i>	1.524402e-08	6.137307e-09	3.591437e-08	81	1.00	0.202
<i>Nitzschia kerguelensis</i>	1.517095e-08	6.09392e-09	3.579504e-08	81	1.00	0.202
<i>Odontella weissflogii</i>	1.517095e-08	6.09392e-09	3.579504e-08	81	1.00	0.202
<i>Thalassiosira gravida</i>	1.488074e-08	5.923095e-09	3.532189e-08	81	1.00	0.202
<i>Nototanais dimorphus</i>	1.469447e-08	1.066477e-08	2.805713e-08	69	2.00	0.104
<i>Nototanais antarcticus</i>	1.455432e-08	1.066477e-08	2.8027e-08	70	2.00	0.105
<i>Actinocyclus utricularis</i>	1.413125e-08	5.541536e-09	3.417282e-08	81	1.00	0.202
<i>Banquisia belgicae</i>	1.413125e-08	5.541536e-09	3.417282e-08	81	1.00	0.202
<i>Chaetoceros concavicornis</i>	1.413125e-08	5.541536e-09	3.417282e-08	81	1.00	0.202
<i>Chaetoceros criophilum</i>	1.413125e-08	5.541536e-09	3.417282e-08	81	1.00	0.202
<i>Corethron criophilum</i>	1.413125e-08	5.541536e-09	3.417282e-08	81	1.00	0.202
<i>Pseudo-Nitzschia prolongatoides</i>	1.398864e-08	5.443517e-09	3.415766e-08	81	1.00	0.202
<i>Thalassiosira frenguelliopsis</i>	1.388148e-08	5.354252e-09	3.392988e-08	81	1.00	0.202
<i>Thalassiosira australis</i>	1.32721e-08	4.862685e-09	3.045084e-08	81	1.00	0.202
<i>Thalassiosira gracilis</i>	1.32721e-08	4.862685e-09	3.045084e-08	81	1.00	0.202
<i>Porania antarctica glabra</i>	1.307845e-08	6.548193e-09	2.611232e-08	72	2.12	0.108
<i>Chaetoceros flexuosum</i>	1.224385e-08	4.271874e-09	2.751283e-08	81	1.00	0.202
<i>Proboscia alata</i>	1.207053e-08	4.144596e-09	2.681657e-08	81	1.00	0.202
<i>Oswaldella antarctica</i>	1.153437e-08	4.862685e-09	9.306303e-07	93	2.00	0.128
<i>Proboscia inermi</i>	1.117759e-08	3.655737e-09	2.373163e-08	81	1.00	0.202
<i>Sterechinus antarcticus</i>	1.055074e-08	2.680485e-09	1.700366e-06	121	2.47	0.101
<i>Bodo saltans</i>	1.047241e-08	5.230062e-09	2.040519e-08	32	3.00	0.108
<i>Chaetoceros bulbosum</i>	1.041188e-08	3.148448e-09	2.123888e-08	81	1.00	0.202
<i>Chaetoceros dictyota</i>	1.041188e-08	3.148448e-09	2.123888e-08	81	1.00	0.202
<i>Chaetoceros pelagicus</i>	1.041188e-08	3.148448e-09	2.123888e-08	81	1.00	0.202
<i>Fragilariopsis separanda</i>	1.041188e-08	3.148448e-09	2.123888e-08	81	1.00	0.202
<i>Fragilariopsis linearis</i>	9.893299e-09	2.888424e-09	2.016798e-08	81	1.00	0.202
<i>Fragilariopsis nana</i>	9.893299e-09	2.888424e-09	2.016798e-08	81	1.00	0.202
<i>Fragilariopsis obliquecostata</i>	9.893299e-09	2.888424e-09	2.016798e-08	81	1.00	0.202
<i>Fragilariopsis rhombica</i>	9.893299e-09	2.888424e-09	2.016798e-08	81	1.00	0.202
<i>Fragilariopsis ritscheri</i>	9.893299e-09	2.888424e-09	2.016798e-08	81	1.00	0.202
<i>Fragilariopsis kerguelensis</i>	9.353684e-09	2.658185e-09	1.936967e-08	81	1.00	0.202
<i>Trichotoxon reinboldii</i>	9.000744e-09	2.563283e-09	1.887812e-08	81	1.00	0.202
<i>Phaeocystis antarctica</i>	8.906517e-09	4.339412e-09	1.71765e-08	30	1.00	0.110
<i>Fragilariopsis sublinearis</i>	8.267227e-09	2.169726e-09	1.666754e-08	81	1.00	0.202
<i>Nematocarcinus lanceopes</i>	8.242873e-09	3.492658e-09	6.730801e-07	90	2.39	0.111
<i>Eucopia australis</i>	8.182022e-09	3.262085e-09	2.578615e-05	105	2.36	0.133
<i>Anthomastus bathyproctus</i>	7.826422e-09	3.528914e-09	1.005512e-06	84	2.02	0.133
<i>Chaetoceros neglectum</i>	7.567656e-09	1.880278e-09	1.421549e-08	81	1.00	0.202
<i>Fragilariopsis curta</i>	7.567656e-09	1.880278e-09	1.421549e-08	81	1.00	0.202
<i>Fragilariopsis pseudonana</i>	7.567656e-09	1.880278e-09	1.421549e-08	81	1.00	0.202
<i>Fragilariopsis vanheurckii</i>	7.567656e-09	1.880278e-09	1.421549e-08	81	1.00	0.202
<i>Nitzschia neglecta</i>	7.567656e-09	1.880278e-09	1.421549e-08	81	1.00	0.202
<i>Silicioflagellata</i>	6.587074e-09	3.259095e-09	1.234305e-08	30	1.00	0.110

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Antarctomysis maxima	5.73193e-09	2.342752e-09	2.880825e-05	105	2.36	0.133
Navicula glaciei	5.714033e-09	1.360598e-09	9.206776e-09	81	1.00	0.202
Navicula schefferae	5.714033e-09	1.360598e-09	9.206776e-09	81	1.00	0.202
Bathyiaster loripes	5.496427e-09	2.46937e-09	1.110237e-06	101	2.67	0.131
Fragilariopsis cylindrus	5.176133e-09	1.275172e-09	8.345545e-09	81	1.00	0.202
Sediment	2.983855e-09	1.089848e-09	6.335435e-09	57	1.00	0.064
Austrosignum grande	2.099819e-09	1.024369e-09	1.20403e-06	89	2.00	0.138
Phydetritus	1.738243e-09	8.316905e-10	5.752081e-09	226	1.00	0.094
Abatus curvidens	1.302266e-09	1.302266e-09	1.302266e-09	2	2.00	0.039
Abatus shackeltoni	1.227636e-09	1.227636e-09	1.227636e-09	2	2.00	0.039
Abatus cavernosus	1.089848e-09	1.089848e-09	1.089848e-09	2	2.00	0.039
Abatus nimrodi	9.830281e-10	9.830281e-10	9.830281e-10	2	2.00	0.039
Gersemia antarctica	4.368498e-10	2.553266e-10	3.38733e-06	87	2.08	0.132

## Extinction simulations and stability

We performed extinction simulations, one at a time, for every species in the Weddell Sea food web. In order to assess the impact on the stability of the food web we statistically compared a stability index before and after performing the extinction. For this, we applied Quasi-Sign Stability  $QSS$  that calculates the proportion of matrices that are locally stable. These matrices are created by sampling the values of the community matrix (the Jacobian) from a uniform distribution, preserving the sign structure: positive for predators and negative for prey. This stability index was originally proposed by Allesina and Pascual (2008). For the  $QSS$  calculation we used a uniform distribution between 0 and maximum values given by the parameters negative, positive and self-damping, corresponding to the sign of interactions and self-limitation effect. Since we had estimated the interaction strength for each interaction of the Weddell Sea food web, the limits of the distribution were *negative* \*  $-x$ , *positive* \*  $x$ , *self - damping* \*  $x$ , where  $x$  is the value of the strength for the interaction in question. The  $x$  for the self-limitation effect of the species is 0 unless the species presents cannibalism. We performed 1000 extinction simulations for every species. Our results showed that the proportion of Jacobians that were locally stable was zero, probably due to the absence of self-limitation in the species. Thus, we considered the distribution of maximum eigenvalues as the stability index, hereafter  $QSS$ . For testing if the  $QSS$  difference before and after the extinction is positive or negative we performed a contrast. This means that for each simulation we made the difference of the  $QSS$  after extinction with the median value of the 1000 simulations of  $QSS$  for the whole network, thus we obtained a distribution of  $QSS$  differences. A positive difference indicates that the food web's stability is greater without the targeted species, suggesting that the species in question contributes to the network's instability. Conversely, a negative difference implies that the network is less stable without the species, indicating a stabilizing effect. Due to the variability in the estimation of the eigenvalues, we decided to consider that a substantial impact on stability was reached when the proportion of either negative or positive differences within this distribution must exceeded 0.55. Figure S2 shows this for four species.

We used the R package multiweb to calculate  $QSS$  and to test the  $QSS$  difference before and after performing the extinction (Saravia 2019). Two functions were specifically created for these analyses: 'calc\_QSS' and 'calc\_QSS\_extinction\_dif'.

Table S2: Summary of maximum eigenvalue ( $QSS$ ) distribution of differences before and after performing extinction simulations in the Weddell Sea food web. Ordered by decreasing proportion of positive differences. Prop dif  $QSS +$  = Proportion of positive differences, Prop dif  $QSS -$  = Proportion of negative differences, median dif $QSS$  relat = median of relative  $QSS$  differences.

Species	Prop dif $QSS +$	Prop dif $QSS -$	median dif $QSS$ relat
Hydrurga leptonyx	0.651	0.349	0.0582380

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Arctocephalus gazella</i>	0.613	0.387	0.0322909
<i>Mirounga leonina</i>	0.581	0.419	0.0312906
<i>Mesonychoteuthis hamiltoni</i>	0.573	0.427	0.0265289
<i>Orcinus orca</i>	0.570	0.430	0.0232904
<i>Macrourus holotrachys</i>	0.568	0.432	0.0239889
<i>Notothenia marmorata</i>	0.563	0.437	0.0183958
<i>Macrourus whitsoni</i>	0.558	0.442	0.0223483
<i>Ommatophoca rossii</i>	0.558	0.442	0.0236585
<i>Leptonychotes weddelli</i>	0.551	0.449	0.0204262
<i>Dissostichus mawsoni</i>	0.547	0.453	0.0195471
<i>Notothenia coriiceps</i>	0.544	0.456	0.0181917
<i>Pagetopsis macropterus</i>	0.542	0.458	0.0133901
<i>Clio pyramidata</i>	0.539	0.461	0.0132594
<i>Edwardsia meridionalis</i>	0.534	0.466	0.0111048
<i>Galiteuthis glacialis</i>	0.532	0.468	0.0117626
<i>Megaptera novaeangliae</i>	0.530	0.470	0.0100044
<i>Nototanais antarcticus</i>	0.530	0.470	0.0081931
<i>Isosicyonis alba</i>	0.529	0.471	0.0091071
<i>Natatolana meridionalis</i>	0.529	0.471	0.0083387
<i>Echiurus antarcticus</i>	0.528	0.472	0.0097771
<i>Paraceradocus gibber</i>	0.527	0.473	0.0088182
<i>Martialia hyadesi</i>	0.526	0.474	0.0086266
<i>Nitzschia neglecta</i>	0.526	0.474	0.0082240
<i>Aptenodytes forsteri</i>	0.525	0.475	0.0092236
<i>Pleuragramma antarcticum</i>	0.525	0.475	0.0127623
<i>Trematomus pennellii</i>	0.525	0.475	0.0092681
<i>Golfingia nordenskojoeldi</i>	0.523	0.477	0.0093687
<i>Chionodraco myersi</i>	0.522	0.478	0.0079624
<i>Silicioflagellata</i>	0.522	0.478	0.0067129
<i>Thalassiosira gravida</i>	0.522	0.478	0.0079688
<i>Thalassiosira ritscheri</i>	0.522	0.478	0.0089235
<i>Trematomus loennbergii</i>	0.521	0.479	0.0090177
<i>Ctenocidaris perrieri</i>	0.520	0.480	0.0045898
<i>Eucopia australis</i>	0.520	0.480	0.0063218
<i>Bathybiaster loripes</i>	0.519	0.481	0.0071585
<i>Camylaspis maculata</i>	0.519	0.481	0.0075011
<i>Cylindrotheca closterium</i>	0.519	0.481	0.0071210
<i>Kondakovia longimana</i>	0.519	0.481	0.0065312
<i>Psychroteuthis glacialis</i>	0.519	0.481	0.0047244
<i>Golfingia margaritacea margaritacea</i>	0.518	0.482	0.0061283
<i>Notaeolidia gigas</i>	0.518	0.482	0.0106079
<i>Ekleptostylis debroyeri</i>	0.517	0.483	0.0090180
<i>Notasterias stylophora</i>	0.517	0.483	0.0042340
<i>Tedania vanhoeffeni</i>	0.517	0.483	0.0087910
<i>Trematomus hansonii</i>	0.517	0.483	0.0058990
<i>Caulastraea curvata</i>	0.516	0.484	0.0096405
<i>Crania leointei</i>	0.516	0.484	0.0037504
<i>Cyllopus lucasii</i>	0.516	0.484	0.0047906
<i>Dimophyes arctica</i>	0.516	0.484	0.0068132
<i>Magellania joubini</i>	0.516	0.484	0.0054193
<i>Perknaster densus</i>	0.516	0.484	0.0027993
<i>Phorbas glaberrima</i>	0.516	0.484	0.0060650

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
Flustra antarctica	0.515	0.485	0.0039654
Fragilariopsis linearis	0.515	0.485	0.0033586
Pseudo-Nitzschia prolongatoides	0.515	0.485	0.0089807
Trematomus nicolai	0.515	0.485	0.0062671
Aethotaxis mitopteryx	0.514	0.486	0.0043803
Ekmocucumis turqueti	0.514	0.486	0.0080713
Acodontaster conspicuus	0.513	0.487	0.0040223
Urticinopsis antarctica	0.513	0.487	0.0046915
Bathypanoploea schellenbergi	0.512	0.488	0.0042547
Cassidulinoides parkerianus	0.512	0.488	0.0059199
Desmonema glaciale	0.512	0.488	0.0033888
Golfingia anderssoni	0.512	0.488	0.0075599
Isodyctia steifera	0.512	0.488	0.0044246
Lageneschara lyrulata	0.512	0.488	0.0036662
Pagetopsis maculatus	0.512	0.488	0.0048215
Pogonophryne marmorata	0.512	0.488	0.0030079
Gorgonocephalus chiliensis	0.511	0.489	0.0045626
Kirkpatrickia variolosa	0.511	0.489	0.0027825
Rossella antarctica	0.511	0.489	0.0022915
Anthomastus bathyproctus	0.510	0.490	0.0047369
Chaetoceros criophilum	0.510	0.490	0.0016969
Chaetoceros socialis	0.510	0.490	0.0033011
Macroptychaster accrescens	0.510	0.490	0.0027970
Ophionotus victoriae	0.510	0.490	0.0022531
Pogonophryne scotti	0.510	0.490	0.0048291
Serolella bouveri	0.510	0.490	0.0047019
Dictyocha speculum	0.509	0.491	0.0034916
Mesothuria lactea	0.509	0.491	0.0020680
Ophiurolepis gelida	0.509	0.491	0.0038004
Pachyptila desolata	0.509	0.491	0.0028994
Pseudosagitta gazellae	0.509	0.491	0.0031234
Artedidraco loennbergi	0.508	0.492	0.0038814
Gerlachea australis	0.508	0.492	0.0039727
Phorbas areolatus	0.508	0.492	0.0032709
Polymastia invaginata	0.508	0.492	0.0037578
Porosira pseudodenticulata	0.508	0.492	0.0017527
Propeleda longicaudata	0.508	0.492	0.0024102
Trophon longstaffi	0.508	0.492	0.0039214
Bargmannia	0.507	0.493	0.0033179
Baseodiscus antarcticus	0.507	0.493	0.0029885
Dolloidraco longedorsalis	0.507	0.493	0.0038833
Gnathiphimedia mandibularis	0.507	0.493	0.0038035
Gymnoscopelus braueri	0.507	0.493	0.0049433
Harpovoluta charcoti	0.507	0.493	0.0015015
Lenticulina antarctica	0.507	0.493	0.0017082
Lyrocteis flavopallidus	0.507	0.493	0.0042962
Ophiacantha antarctica	0.507	0.493	0.0022393
Callianira antarctica	0.506	0.494	0.0027097
Isotealia antarctica	0.506	0.494	0.0027374
Moroteuthis ingens	0.506	0.494	0.0035174
Solaster dawsoni	0.506	0.494	0.0030059
Solmundella bitentaculata	0.506	0.494	0.0015497

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Stellarima microtrias</i>	0.506	0.494	0.0019913
<i>Camptoplites tricornis</i>	0.505	0.495	0.0009800
<i>Cinachyra barbata</i>	0.505	0.495	0.0016805
<i>Clione antarctica</i>	0.505	0.495	0.0023987
<i>Eulagisca gigantea</i>	0.505	0.495	0.0007266
<i>Fulmarus glacialis</i>	0.505	0.495	0.0018270
<i>Natatolana oculata</i>	0.505	0.495	0.0011171
<i>Reteporella hippocrepis</i>	0.505	0.495	0.0019210
<i>Rhynchonereella bongraini</i>	0.505	0.495	0.0022910
<i>Sterna vittata</i>	0.505	0.495	0.0023508
<i>Stylocordyla borealis</i>	0.505	0.495	0.0033806
<i>Trematomus bernacchii</i>	0.505	0.495	0.0021561
<i>Waldeckia obesa</i>	0.505	0.495	0.0024522
<i>Chaetoceros concavicornis</i>	0.504	0.496	0.0013448
<i>Falsimargarita gemma</i>	0.504	0.496	0.0012544
<i>Globocassidulina crassa</i>	0.504	0.496	0.0020306
<i>Liljeborgia georgiana</i>	0.504	0.496	0.0013039
<i>Monocaulus parvula</i>	0.504	0.496	0.0005649
<i>Nitzschia kerguelensis</i>	0.504	0.496	0.0020456
<i>Parborlasia corrugatus</i>	0.504	0.496	0.0013657
<i>Pareledone charcoti</i>	0.504	0.496	0.0013661
<i>Physeter macrocephalus</i>	0.504	0.496	0.0008654
<i>Pogonophryne phyllopogon</i>	0.504	0.496	0.0011003
<i>Thysanoessa macrura</i>	0.504	0.496	0.0012274
<i>Abyssocucumis liouvillei</i>	0.503	0.497	0.0012950
<i>Bathydoris clavigera</i>	0.503	0.497	0.0028458
<i>Labidiaster annulatus</i>	0.503	0.497	0.0003740
<i>Salpa thompsoni</i>	0.503	0.497	0.0009690
<i>Serolis polita</i>	0.503	0.497	0.0008018
<i>Astrochlamys bruneus</i>	0.502	0.498	0.0008001
<i>Cryodraco antarcticus</i>	0.502	0.498	0.0016087
<i>Epimeria georgiana</i>	0.502	0.498	0.0006987
<i>Euchaetomera antarcticus</i>	0.502	0.498	0.0013019
<i>Pentanymphon antarcticum</i>	0.502	0.498	0.0005864
<i>Perknaster sladeni</i>	0.502	0.498	0.0008425
<i>Pogonophryne permitini</i>	0.502	0.498	0.0002546
<i>Probuccinum tenuistriatum</i>	0.502	0.498	0.0013972
<i>Rhachotropis antarctica</i>	0.502	0.498	0.0007659
<i>Acodontaster hodgsoni</i>	0.501	0.499	0.0011094
<i>Austrocidaris canaliculata</i>	0.501	0.499	0.0003520
<i>Axociella nidificata</i>	0.501	0.499	0.0002910
<i>Chaetoceros dictyota</i>	0.501	0.499	0.0000346
<i>Cuenotaster involutus</i>	0.501	0.499	0.0007711
<i>Fragilariopsis cylindrus</i>	0.501	0.499	0.0002557
<i>Gersemia antarctica</i>	0.501	0.499	0.0010437
<i>Liothyrella uva</i>	0.501	0.499	0.0006468
<i>Pyura discoveryi</i>	0.501	0.499	0.0007100
<i>Thalassiosira australis</i>	0.501	0.499	0.0012156
<i>Ainigmaptilon antarcticus</i>	0.500	0.500	-0.0001649
<i>Cibicides refulgens</i>	0.500	0.500	0.0001178
<i>Flustra angusta</i>	0.500	0.500	-0.0001896
<i>Gymnodraco acuticeps</i>	0.500	0.500	0.0000998



Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
Harmotoe hartmanae	0.500	0.500	0.0003728
Limopsis lillei	0.500	0.500	0.0004295
Pachycara brachycephalum	0.500	0.500	-0.0000500
Psilaster charcoti	0.500	0.500	0.0001576
Rhodalia miranda	0.500	0.500	0.0002211
Rossella tarenja	0.500	0.500	0.0000790
Tetilla leptoderma	0.500	0.500	0.0001494
Thalassiosira trifulta	0.500	0.500	-0.0000996
Chiridota weddellensis	0.499	0.501	-0.0010806
Isoschizoporella tricuspis	0.499	0.501	-0.0002841
Parvicorbucula socialis	0.499	0.501	-0.0001631
Phaeocystis antarctica	0.499	0.501	-0.0001461
Sycozoa sigillinoides	0.499	0.501	-0.0011296
Syonicum adareanum	0.499	0.501	-0.0002467
Trachythyone parva	0.499	0.501	-0.0003053
Tryphosella murrayi	0.499	0.501	-0.0005343
Armadillogorgia cyathella	0.498	0.502	-0.0023066
Austrosignum grande	0.498	0.502	-0.0003971
Cygnodraco mawsoni	0.498	0.502	-0.0002223
Fragilariopsis kerguelensis	0.498	0.502	-0.0007914
Maxmuelleria faex	0.498	0.502	-0.0010493
Muraenolepis microps	0.498	0.502	-0.0004239
Thalassiosira gracilis expecta	0.498	0.502	-0.0002924
Chionodraco hamatus	0.497	0.503	-0.0012882
Diphyes antarctica	0.497	0.503	-0.0017090
Epimeria similis	0.497	0.503	-0.0016099
Eunoe spica spicoides	0.497	0.503	-0.0006674
Fragilariopsis rhombica	0.497	0.503	-0.0012413
Oswaldella antarctica	0.497	0.503	-0.0017838
Pseudo-Nitzschia heimii	0.497	0.503	-0.0013588
Ypsilocucumis turricata	0.497	0.503	-0.0008072
Bathylagus antarcticus	0.496	0.504	-0.0012683
Bostrychopora dentata	0.496	0.504	-0.0030830
Dipulmaris antarctica	0.496	0.504	-0.0022872
Hamingia	0.496	0.504	-0.0030751
Lagenorhynchus cruciger	0.496	0.504	-0.0019112
Odontella weissflogii	0.496	0.504	-0.0011033
Ophioperla ludwigi	0.496	0.504	-0.0007503
Psolus antarcticus	0.496	0.504	-0.0023681
Pyura tunicata	0.496	0.504	-0.0025805
Scolymastra joubini	0.496	0.504	-0.0018918
Vaunthompsonia indermis	0.496	0.504	-0.0019649
Ammothea carolinensis	0.495	0.505	-0.0017501
Calyx arcuarius	0.495	0.505	-0.0019267
Echiniphimedia hodgsoni	0.495	0.505	-0.0027247
Eunoe hartmanae	0.495	0.505	-0.0016984
Glyptonotus antarcticus	0.495	0.505	-0.0014988
Gonatus antarcticus	0.495	0.505	-0.0027379
Gymnoscopelus nicholsi	0.495	0.505	-0.0010180
Newnesia antarctica	0.495	0.505	-0.0025157
Oradarea edentata	0.495	0.505	-0.0044435
Paramoera walkeri	0.495	0.505	-0.0023683

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Pontiothauma ergata</i>	0.495	0.505	-0.0023953
<i>Salpa gerlachei</i>	0.495	0.505	-0.0017212
<i>Trematomus lepidorhinus</i>	0.495	0.505	-0.0016022
<i>Trematomus scotti</i>	0.495	0.505	-0.0012912
<i>Anthometra adriani</i>	0.494	0.506	-0.0024176
<i>Barrukia cristata</i>	0.494	0.506	-0.0023785
<i>Eusirus perdentatus</i>	0.494	0.506	-0.0046083
<i>Harmothoe spinosa</i>	0.494	0.506	-0.0022896
<i>Muraenolepis marmoratus</i>	0.494	0.506	-0.0028276
<i>Notolepis coatsi</i>	0.494	0.506	-0.0019983
<i>Nototanais dimorphus</i>	0.494	0.506	-0.0017890
<i>Porania antarctica glabra</i>	0.494	0.506	-0.0015953
<i>Vibilia stebbingi</i>	0.494	0.506	-0.0014300
<i>Azpeitia tabularis</i>	0.493	0.507	-0.0029656
<i>Bathyplores bongraini</i>	0.493	0.507	-0.0007116
<i>Fragilariopsis ritscheri</i>	0.493	0.507	-0.0029602
<i>Iphimediella cyclogena</i>	0.493	0.507	-0.0026846
<i>Isodyctia cavicornuta</i>	0.493	0.507	-0.0020899
<i>Latrunculia brevis</i>	0.493	0.507	-0.0029820
<i>Terebella ehlersi</i>	0.493	0.507	-0.0034257
<i>Trematomus eulepidotus</i>	0.493	0.507	-0.0010600
<i>Abyssorhomene plebs</i>	0.492	0.508	-0.0024938
<i>Actinocyclus spiritus</i>	0.492	0.508	-0.0019679
<i>Alomasoma belyaevi</i>	0.492	0.508	-0.0042964
<i>Echinopsolus acanthocola</i>	0.492	0.508	-0.0057993
<i>Harmothoe crosetensis</i>	0.492	0.508	-0.0028233
<i>Luidiaster gerlachei</i>	0.492	0.508	-0.0033875
<i>Ophioceres incipiens</i>	0.492	0.508	-0.0034192
<i>Phytodetritus</i>	0.492	0.508	-0.0045845
<i>Pogonophryne barsukovi</i>	0.492	0.508	-0.0032684
<i>Polymastia isidis</i>	0.492	0.508	-0.0054013
<i>Primnoella</i>	0.492	0.508	-0.0025488
<i>Scotoplanes globosa</i>	0.492	0.508	-0.0021334
<i>Sterechinus antarcticus</i>	0.492	0.508	-0.0036710
<i>Thalassiosira lentiginosa</i>	0.492	0.508	-0.0029557
<i>Trichotoxon reinboldii</i>	0.492	0.508	-0.0022528
<i>Eurythenes gryllus</i>	0.491	0.509	-0.0068590
<i>Gymnoscopelus opisthopterus</i>	0.491	0.509	-0.0047407
<i>Hyperia macrocephala</i>	0.491	0.509	-0.0016421
<i>Laetmonice producta</i>	0.491	0.509	-0.0035854
<i>Metridia gerlachei</i>	0.491	0.509	-0.0041704
<i>Natatolana obtusata</i>	0.491	0.509	-0.0028313
<i>Neogloboquadriana pachyderma</i>	0.491	0.509	-0.0033988
<i>Protomyctophum bolini</i>	0.491	0.509	-0.0040030
<i>Arteidraco orianae</i>	0.490	0.510	-0.0056516
<i>Bathyplores gourdoni</i>	0.490	0.510	-0.0048060
<i>Ceratoserolis meridionalis</i>	0.490	0.510	-0.0052969
<i>Champscephalus gunnari</i>	0.490	0.510	-0.0024889
<i>Eucampia antarctica</i>	0.490	0.510	-0.0036513
<i>Fragilariopsis sublinearis</i>	0.490	0.510	-0.0060890
<i>Lineus longifissus</i>	0.490	0.510	-0.0018020
<i>Manguinea rigida</i>	0.490	0.510	-0.0034919

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Navicula schefferae</i>	0.490	0.510	-0.0032010
<i>Nitzschia lecointei</i>	0.490	0.510	-0.0036853
<i>Notasterias armata</i>	0.490	0.510	-0.0025762
<i>Proboscia truncata</i>	0.490	0.510	-0.0042327
<i>Systemopora contracta</i>	0.490	0.510	-0.0018426
<i>Balaenoptera physalus</i>	0.489	0.511	-0.0036744
<i>Compsothyris racovitzae</i>	0.489	0.511	-0.0032968
<i>Eudorella splendida</i>	0.489	0.511	-0.0032353
<i>Eukrohnia hamata</i>	0.489	0.511	-0.0048904
<i>Haliclona tenella</i>	0.489	0.511	-0.0037653
<i>Melphidippa antarctica</i>	0.489	0.511	-0.0045582
<i>Thalassiosira antarctica</i>	0.489	0.511	-0.0032131
<i>Abatus curvidens</i>	0.488	0.512	-0.0054183
<i>Cephalodiscus</i>	0.488	0.512	-0.0038693
<i>Chorismus antarcticus</i>	0.488	0.512	-0.0030444
<i>Clavularia frankiliana</i>	0.488	0.512	-0.0051405
<i>Djerboa furcipes</i>	0.488	0.512	-0.0037924
<i>Elpidia glacialis</i>	0.488	0.512	-0.0045144
<i>Fragilariopsis obliquecostata</i>	0.488	0.512	-0.0052588
<i>Frontoserolis bouvieri</i>	0.488	0.512	-0.0032634
<i>Golfingia mawsoni</i>	0.488	0.512	-0.0054661
<i>Lysasterias perrieri</i>	0.488	0.512	-0.0049979
<i>Peraeospinosus pushkini</i>	0.488	0.512	-0.0066603
<i>Primnoisis antarctica</i>	0.488	0.512	-0.0063024
<i>Puncturella conica</i>	0.488	0.512	-0.0056781
<i>Tedania oxeata</i>	0.488	0.512	-0.0065368
<i>Abatus shackeltoni</i>	0.487	0.513	-0.0030984
<i>Abyssorhomene nodimanus</i>	0.487	0.513	-0.0031439
<i>Boroecia antipoda</i>	0.487	0.513	-0.0061579
<i>Chaetoceros bulbosum</i>	0.487	0.513	-0.0039333
<i>Chaetoceros flexuosum</i>	0.487	0.513	-0.0047528
<i>Coscinodiscus oculoides</i>	0.487	0.513	-0.0053402
<i>Fragilariopsis curta</i>	0.487	0.513	-0.0070815
<i>Fragilariopsis vanheurekii</i>	0.487	0.513	-0.0062002
<i>Lobodon carcinophaga</i>	0.487	0.513	-0.0063867
<i>Molpadia musculus</i>	0.487	0.513	-0.0047462
<i>Oediceroides calmani</i>	0.487	0.513	-0.0062316
<i>Primno macropa</i>	0.487	0.513	-0.0029989
<i>Pseudo-Nitzschia subcurvata</i>	0.487	0.513	-0.0041229
<i>Rhizosolenia antennata</i>	0.487	0.513	-0.0056520
<i>Atolla wyvillei</i>	0.486	0.514	-0.0065291
<i>Banquisia belgicae</i>	0.486	0.514	-0.0076616
<i>Eucranta mollis</i>	0.486	0.514	-0.0050463
<i>Fragilariopsis nana</i>	0.486	0.514	-0.0072714
<i>Kampylaster incurvatus</i>	0.486	0.514	-0.0044364
<i>Limopsis marionensis</i>	0.486	0.514	-0.0057213
<i>Odontaster meridionalis</i>	0.486	0.514	-0.0036272
<i>Pseudorhomene coatsi</i>	0.486	0.514	-0.0053202
<i>Pseudostichopus villosus</i>	0.486	0.514	-0.0047324
<i>Psolus charcoti</i>	0.486	0.514	-0.0057572
<i>Rhincalanus gigas</i>	0.486	0.514	-0.0036697
<i>Acodontaster capitatus</i>	0.485	0.515	-0.0083951

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Cadulus dalli antarcticum</i>	0.485	0.515	-0.0067344
<i>Chondriovelum adeliense</i>	0.485	0.515	-0.0048009
<i>Epimeria macrodonta</i>	0.485	0.515	-0.0063029
<i>Notocidaris mortenseni</i>	0.485	0.515	-0.0059463
<i>Oediceroides emarginatus</i>	0.485	0.515	-0.0041345
<i>Paraeuchaeta antarctica</i>	0.485	0.515	-0.0031913
<i>Pelagobia longicirrata</i>	0.485	0.515	-0.0033949
<i>Pseudosagitta maxima</i>	0.485	0.515	-0.0051500
<i>Pyura bouvetensis</i>	0.485	0.515	-0.0049726
<i>Sagitta marri</i>	0.485	0.515	-0.0039593
<i>Aega antarctica</i>	0.484	0.516	-0.0057122
<i>Amauropsis rossiana</i>	0.484	0.516	-0.0067281
<i>Arteidraco skottsbergi</i>	0.484	0.516	-0.0078217
<i>Cinachyra antarctica</i>	0.484	0.516	-0.0082003
<i>Cyclocardia astartoides</i>	0.484	0.516	-0.0032747
<i>Gyrodinium lachryama</i>	0.484	0.516	-0.0056621
<i>Laternula elliptica</i>	0.484	0.516	-0.0040563
<i>Lissarca notorcadensis</i>	0.484	0.516	-0.0058492
<i>Nematocarcinus lanceopes</i>	0.484	0.516	-0.0045953
<i>Porosira glacialis</i>	0.484	0.516	-0.0092357
<i>Racovitzia glacialis</i>	0.484	0.516	-0.0060069
<i>Rossella racovitzae</i>	0.484	0.516	-0.0085166
<i>Thalassiosira tumida</i>	0.484	0.516	-0.0042616
<i>Uristes gigas</i>	0.484	0.516	-0.0058431
<i>Alacia hettacra</i>	0.483	0.517	-0.0088251
<i>Cnemidocarpa verrucosa</i>	0.483	0.517	-0.0061612
<i>Ctenocidaris gigantea</i>	0.483	0.517	-0.0070339
<i>Ctenocidaris gilberti</i>	0.483	0.517	-0.0076822
<i>Euphausia frigida</i>	0.483	0.517	-0.0064351
<i>Macronectes halli</i>	0.483	0.517	-0.0047482
<i>Bodo saltans</i>	0.482	0.518	-0.0066985
<i>Corella eumyota</i>	0.482	0.518	-0.0072362
<i>Halobaena caerulea</i>	0.482	0.518	-0.0056020
<i>Momoculodes scabriculosus</i>	0.482	0.518	-0.0059426
<i>Notioceramus anomalus</i>	0.482	0.518	-0.0066014
<i>Pseudostichopus mollis</i>	0.482	0.518	-0.0070969
<i>Silicularia rosea</i>	0.482	0.518	-0.0049115
<i>Tedania tantulata</i>	0.482	0.518	-0.0055678
<i>Abyssorhomene rossi</i>	0.481	0.519	-0.0087070
<i>Bathydorus spinosus</i>	0.481	0.519	-0.0031180
<i>Callochiton gaussi</i>	0.481	0.519	-0.0082165
<i>Colossendeis scotti</i>	0.481	0.519	-0.0086793
<i>Ekmocucumis turqueti turqueti</i>	0.481	0.519	-0.0094141
<i>Epimeriella walkeri</i>	0.481	0.519	-0.0053542
<i>Eunoe spica</i>	0.481	0.519	-0.0107645
<i>Eusirus antarcticus</i>	0.481	0.519	-0.0055932
<i>Hyperietta dilatata</i>	0.481	0.519	-0.0080893
<i>Ihlea racovitzai</i>	0.481	0.519	-0.0055195
<i>Iophon radiatus</i>	0.481	0.519	-0.0047174
<i>Manguinea fusiformis</i>	0.481	0.519	-0.0056759
<i>Maxilliphimedia longipes</i>	0.481	0.519	-0.0080127
<i>Procellaria aequinoctialis</i>	0.481	0.519	-0.0099933

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Chaetoceros neglectum</i>	0.480	0.520	-0.0086514
<i>Cycethra verrucosa mawsoni</i>	0.480	0.520	-0.0070076
<i>Diastylis mawsoni</i>	0.480	0.520	-0.0077050
<i>Oceanites oceanicus</i>	0.480	0.520	-0.0096389
<i>Ophioperla koehleri</i>	0.480	0.520	-0.0062868
<i>Pista spinifera</i>	0.480	0.520	-0.0119714
<i>Proboscia inermi</i>	0.480	0.520	-0.0050531
<i>Sterna paradisaea</i>	0.480	0.520	-0.0059022
<i>Alcyonium antarcticum</i>	0.479	0.521	-0.0070165
<i>Astrotoma agassizii</i>	0.479	0.521	-0.0069480
<i>Beroe cucumis</i>	0.479	0.521	-0.0103777
<i>Conchoecia antipoda</i>	0.479	0.521	-0.0061575
<i>Fasciculiporoides ramosa</i>	0.479	0.521	-0.0067969
<i>Parschisturella ceruviata</i>	0.479	0.521	-0.0083520
<i>Aegires albus</i>	0.478	0.522	-0.0131985
Arcturidae	0.478	0.522	-0.0093868
<i>Ascidia challengeri</i>	0.478	0.522	-0.0102953
<i>Dacodraco hunteri</i>	0.478	0.522	-0.0087207
<i>Navicula glaciei</i>	0.478	0.522	-0.0069482
<i>Proboscia alata</i>	0.478	0.522	-0.0088419
<i>Taeniogyrus contortus</i>	0.478	0.522	-0.0092234
<i>Actinocyclus utricularis</i>	0.477	0.523	-0.0094535
<i>Conchoecia hettacra</i>	0.477	0.523	-0.0111213
<i>Marginella ealesa</i>	0.477	0.523	-0.0060792
<i>Molgula pedunculata</i>	0.477	0.523	-0.0115538
<i>Mycale acerata</i>	0.477	0.523	-0.0058197
<i>Nymphon gracillimum</i>	0.477	0.523	-0.0100160
<i>Perknaster fuscus antarcticus</i>	0.477	0.523	-0.0071113
<i>Calanoides acutus</i>	0.476	0.524	-0.0092773
<i>Macronectes giganteus</i>	0.476	0.524	-0.0073498
<i>Nematoflustra flagellata</i>	0.476	0.524	-0.0081824
<i>Pareledone antarctica</i>	0.476	0.524	-0.0103898
<i>Periphylla periphylla</i>	0.476	0.524	-0.0058954
<i>Tentorium papillatum</i>	0.476	0.524	-0.0142374
<i>Calanus propinquus</i>	0.475	0.525	-0.0087820
<i>Pteraster affinis aculeatus</i>	0.475	0.525	-0.0113114
<i>Yolida eightsi</i>	0.475	0.525	-0.0111348
<i>Antarctomysis maxima</i>	0.474	0.526	-0.0100091
<i>Aplidium vastum</i>	0.474	0.526	-0.0053685
<i>Ctenocidaris spinosa</i>	0.474	0.526	-0.0094631
<i>Diplasterias brucei</i>	0.474	0.526	-0.0093896
<i>Phascolion strombi</i>	0.474	0.526	-0.0079501
<i>Polyeunoa laevis</i>	0.474	0.526	-0.0112179
<i>Psolus dubiosus</i>	0.474	0.526	-0.0133871
<i>Tentorium semisuberites</i>	0.474	0.526	-0.0093909
<i>Chaetoceros pelagicus</i>	0.473	0.527	-0.0114724
<i>Liothyrella uva antarctica</i>	0.473	0.527	-0.0107839
<i>Marseniopsis conica</i>	0.473	0.527	-0.0072547
<i>Tritonia antarctica</i>	0.473	0.527	-0.0069894
<i>Achlyonice violaeuspadata</i>	0.472	0.528	-0.0062392
<i>Alacia belgicae</i>	0.472	0.528	-0.0121889
<i>Alluroteuthis antarcticus</i>	0.472	0.528	-0.0098426

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Fissidentalium majorinum</i>	0.472	0.528	-0.0115593
<i>Haplocheira plumosa</i>	0.472	0.528	-0.0071960
<i>Heterophoxus videns</i>	0.472	0.528	-0.0092052
<i>Homaxinella balfourensis</i>	0.472	0.528	-0.0111236
<i>Nacella concinna</i>	0.472	0.528	-0.0125569
<i>Nuttallochiton mirandus</i>	0.472	0.528	-0.0106262
<i>Abatus nimrodi</i>	0.471	0.529	-0.0106339
<i>Epimeria robusta</i>	0.471	0.529	-0.0091283
<i>Phyllocomus crocea</i>	0.471	0.529	-0.0099082
<i>Pyura setosa</i>	0.471	0.529	-0.0099551
<i>Tubularia ralphii</i>	0.471	0.529	-0.0087011
<i>Alexandrella mixta</i>	0.470	0.530	-0.0100610
<i>Amphidinium hadai</i>	0.470	0.530	-0.0162466
<i>Aphrodroma brevirostris</i>	0.470	0.530	-0.0120683
<i>Daption capense</i>	0.470	0.530	-0.0117756
<i>Fragilariopsis separanda</i>	0.470	0.530	-0.0110773
<i>Golfingia ohlini</i>	0.470	0.530	-0.0103279
<i>Haliclona dancoi</i>	0.470	0.530	-0.0062884
<i>Lophaster gaini</i>	0.470	0.530	-0.0118007
<i>Ophiosparte gigas</i>	0.470	0.530	-0.0143844
<i>Tritoniella belli</i>	0.470	0.530	-0.0102254
<i>Ampelisca richardsoni</i>	0.469	0.531	-0.0105817
<i>Fragilariopsis pseudonana</i>	0.469	0.531	-0.0094783
<i>Laetmogone wyvillethompsoni</i>	0.469	0.531	-0.0111505
<i>Magellania fragilis</i>	0.469	0.531	-0.0108887
<i>Notocrangon antarcticus</i>	0.469	0.531	-0.0124162
<i>Anoxycalyx joubini</i>	0.468	0.532	-0.0112583
<i>Euphausia superba</i>	0.468	0.532	-0.0132986
<i>Isodyctia toxophila</i>	0.468	0.532	-0.0120358
<i>Melicerita obliqua</i>	0.468	0.532	-0.0109312
<i>Pseudo-Nitzschia liniola</i>	0.468	0.532	-0.0117700
<i>Austroflustra vulgaris</i>	0.467	0.533	-0.0143087
<i>Pagodroma nivea</i>	0.467	0.533	-0.0124542
<i>Porania antarctica</i>	0.467	0.533	-0.0119238
<i>Sterechinus neumayeri</i>	0.467	0.533	-0.0108242
<i>Themisto gaudichaudii</i>	0.467	0.533	-0.0099845
<i>Vibilia antarctica</i>	0.467	0.533	-0.0138880
<i>Austrodoris kerguelensis</i>	0.466	0.534	-0.0128756
<i>Munna globicauda</i>	0.466	0.534	-0.0134759
<i>Odontaster validus</i>	0.466	0.534	-0.0111110
<i>Psolidium incertum</i>	0.466	0.534	-0.0128606
<i>Marseniopsis mollis</i>	0.465	0.535	-0.0104161
<i>Clathria pauper</i>	0.463	0.537	-0.0110658
<i>Corethron criophilum</i>	0.463	0.537	-0.0157120
<i>Ekmocucumis steineni</i>	0.463	0.537	-0.0129377
<i>Promachocrinus kerguelensis</i>	0.463	0.537	-0.0140451
<i>Harpagifer antarcticus</i>	0.462	0.538	-0.0109307
<i>Parmaphorella mawsoni</i>	0.462	0.538	-0.0148042
<i>Pygoscelis adeliae</i>	0.462	0.538	-0.0125573
Sediment	0.462	0.538	-0.0108079
<i>Tursiops truncatus</i>	0.462	0.538	-0.0144362
<i>Abatus cavernosus</i>	0.461	0.539	-0.0145956

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
Balaenoptera musculus	0.461	0.539	-0.0157692
Latrunculia apicalis	0.461	0.539	-0.0126983
Thalassiosira gracilis	0.461	0.539	-0.0180251
Electrona antarctica	0.460	0.540	-0.0154413
Epimeria rubrieques	0.460	0.540	-0.0159455
Rossella nuda	0.460	0.540	-0.0134992
Thalassoica antarctica	0.460	0.540	-0.0137090
Clione limacina	0.459	0.541	-0.0131543
Prionodraco evansii	0.459	0.541	-0.0147278
Vanadis antarctica	0.459	0.541	-0.0164304
Gnathia calva	0.458	0.542	-0.0137810
Chaenodraco wilsoni	0.457	0.543	-0.0136870
Metaconchoecia isocheira	0.457	0.543	-0.0175275
Euphausia crystallorophias	0.456	0.544	-0.0147971
Ophiurolepis brevirima	0.456	0.544	-0.0193088
Thalassiosira frenguelliopsis	0.456	0.544	-0.0151378
Actinocyclus actinochilus	0.454	0.546	-0.0145288
Limacina helicina antarctica	0.454	0.546	-0.0162732
Neobuccinum eatoni	0.452	0.548	-0.0184613
Aporocidaris milleri	0.447	0.553	-0.0213657
Balaenoptera acutorostrata	0.423	0.577	-0.0264863

## Interaction strength distribution

The statistical distribution that best fitted the empirical interaction strength distribution was a ‘log-Normal’ due to the skew towards weaker interactions. Table 3 shows the results for the six candidate models used.

Table S3: Model comparison for the distribution of interaction strengths of the Weddell Sea food web. Order by best fit. References: df = degrees of freedom, AIC = Akaike Information Criterion, deltaAIC = difference with best fit. Log-Normal is the best model.

Model	df	AIC	deltaAIC
log-Normal	2	-359277.3	0.00
Gamma	2	-358374.4	902.90
Power-law	2	-348537.2	10740.04
Exponential	1	-327199.0	32078.28
Normal	2	-289859.5	69417.78
Uniform	2	-243904.0	115373.33

## References

- Allesina, Stefano, and Mercedes Pascual. 2008. “Network Structure, Predator–prey Modules, and Stability in Large Food Webs.” *Theoretical Ecology* 1 (1): 55–64. <https://doi.org/10.1007/s12080-007-0007-8>.
- Martinez, Neo D. 1991. “Artifacts or Attributes? Effects of Resolution on the Little Rock Lake Food Web.” *Ecological Monographs* 61 (4): 367–92. <https://doi.org/10.2307/2937047>.
- Pawar, Samraat, Anthony I Dell, and V. M. Savage. 2012. “Dimensionality of Consumer Search Space Drives Trophic Interaction Strengths.” *Nature* 486 (May): 485. <https://doi.org/10.1038/nature11131>.
- Saravia, L. A. 2019. “Multiweb: R Package for Multiple Interaction Ecological Networks.” Zenodo. <https://doi.org/10.5281/zenodo.3370396>.




Figure S2: Distribution of relative stability differences (between the whole network and the network minus one species) when the species in question are removed from the Weddell Sea food web. Stability differences are shown as percentages. Central tendencies are shown: median in brown dash, mode in blue longdash.



Thompson, Ross M., Martin Hemberg, Brian M. Starzomski, and Jonathan B. Shurin. 2007. "Trophic Levels and Trophic Tangles: The Prevalence of Omnivory in Real Food Webs." *Ecology* 88 (3): 612–17. <https://doi.org/10.1890/05-1454>.