



# Supplement of

## An evaluation of the Arabian Sea Mini Warm Pool's advancement during its mature phase using a coupled atmosphere–ocean numerical model

Sankar Prasad Lahiri et al.

Correspondence to: Sankar Prasad Lahiri (sankarprasadlahiri2@gmail.com)

The copyright of individual parts of the supplement might differ from the article licence.

Contents of the file:

- Text S1
- Figure S1 to S12

### 5 Introduction:

The following information supports the results: "An evaluation of the Arabian Sea Mini Warm Pool's advancement during its mature phase using a coupled atmosphere-ocean numerical model."

#### Text S1: Interannual Variation of Mini Warm Pool Area:

10 The interannual Variation of MWP area is shown in Fig. S1. In recent years, 2013 and 2016 have been the years with an area of the MWP less than and more than 0.25 standard deviation, respectively. In 2018, the MWP area was closer to climatology. As a result, these three years have been selected for the simulation in our study.



Figure S1: Area MWP area from 1993 to 2020. The black dashed lines suggest the 0.25 standard deviation, while the magenta dashed line shows the mean area. The black dot in each year depicts the average MWP area. The area is calculated following the criteria of Li et al. (2023).



Figure S2: Location of the buoy AD10. The asterisk is showing the location of AD10 and the SEAS region is shown by the black box.



Figure S3: A comparison of the vertical temperature and salinity profiles between AD10 and the nearest point location in the numerical model for 2018.

40

Vertical Temperature and Salinity in numerical model and AD10 buoy data in 2013



Figure S4: A comparison of the vertical temperature and salinity profiles between AD10 and the nearest point location in the numerical model for 2013.



Figure S5: A comparison of the vertical temperature and salinity profiles between AD10 and the nearest point location in the numerical model for 2016.

## **Shortwave Radiation Flux**



Figure S6: Comparison of shortwave radiation flux in mature and dissipation days in 2018 (a-c) (MWP strength close to climatology), 2013 (d-f) (MWP was missing), and 2016 (g-i) (MWP was intense). (c), (f), and (i) indicate the difference between dissipation and mature day. The mature days for the MWP are May 20 in 2018 and 2013 and May 4 in 2016. The dissipation day for the mini warm pool was taken on June 8, 2018, 2013, and June 6, 2016.

## **Longwave Radiation Flux**



Fig. S7 is the same as Fig. S6 but for longwave radiation flux.



60 Fig. S8 is the same as Fig. S6 but for latent heat flux.

## **Sensible Heat Flux**





Fig. S 9 is the same as Fig. S6 but for sensible heat flux.

### **Vertical Temperature**



Figure S10: Area averaged (72- 76°E and 7-13°N, i.e., the white box shown in Fig. 1) vertical temperature for three control ((a) 2018 control experiment, (b) 2013 control experiment, and (c) 2016 control experiment) and four sensitivity

9

70 experiments ((d) S<sub>ocean2013</sub>, (e) S<sub>ocean2016</sub>, (f)S<sub>atmos2013</sub>, and (g) S<sub>atmos2016</sub>). In the sensitivity experiments, the oceanic and atmospheric conditions have been changed to various years; thus, only the day and month are kept on the x-axis.



Fig. S11 5-day average evolution of thermal buoyancy flux-induced production of turbulent kinetic energy (PTKE) for all control and sensitivity experiments. The fill values are showing after multiplying  $10^4$ . Atmospheric forcings are 75 identical for the 2018 control, Socean2013, and Socean2016 experiments. Likewise, the PTKE remains the same across all three experiments (a). Similarly, the P<sub>TKE</sub> owing to thermal buoyancy flux in the 2013 control experiment and S<sub>ocean2013</sub> (b) and the 2016 control experiment and Socean2016 (c) are identical. Table 1 shows details from the sensitivity experiments. The days associated with mean evolution are listed at the top of each subplot. Negative buoyancy means a net heat gain

80 by the ocean.



Fig. S12 is the same as Fig. S11 but for PTKE due to haline buoyancy flux.

#### References

85 Li, N., Zhu, X., Wang, H., Zhang, S., & Wang, X. (2023). Intraseasonal and interannual variability of sea temperature in the Arabian Sea Warm Pool. Ocean Science, 19(5), 1437–1451. https://doi.org/10.5194/os-19-1437-2023