

Interactive
Comment

Interactive comment on “Acoustic Doppler Current Profiler observations in the southern Caspian Sea: shelf currents and flow field off Freidoonkenar Bay, Iran” by P. Ghaffari and V. Chegini

P. Ghaffari and V. Chegini

ghaffari@inco.ac.ir

Received and published: 12 January 2010

Dear Referee, Thank you for your Comment in the interactive discussion on our manuscript entitled Acoustic Doppler Current Profiler observations in the southern Caspian Sea: shelf currents and flow field off Freidoonkenar Bay, Iran. In fact these results are a part of an extensive field study in the southern part of the Caspian Sea, which covered eastern and western coastal waters. Beside the ADCP records that are presented in this manuscript, two moorings containing six RCM9 (Recording current meters) were deployed for almost eight months in western and eastern parts of Iranian

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



waters in the Caspian Sea down to 200 meter depth. Some paper concerning the later moorings results are under preparation and most probably will be submitted at current journal. I am certain that results will be more interesting.

Interactive comment on Ocean Sci. Discuss., 6, 3019, 2009.

OSD

6, C996–C997, 2010

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

C997

