Ocean Sci. Discuss., https://doi.org/10.5194/os-2020-39-RC3, 2020 © Author(s) 2020. This work is distributed under the Creative Commons Attribution 4.0 License.



OSD

Interactive comment

# Interactive comment on "Spiciness theory revisited, with new views on neutral density, orthogonality and passiveness" by Rémi Tailleux

Jan Zika (Referee)

j.zika@unsw.edu.au

Received and published: 4 July 2020

Tailleux presents new ideas around spiciness in the ocean. I think this is a worthwhile paper with some interesting points being made.

A number of the key conclusions don't seem well supported though. Some points are presented as self-evident, yet their justification seems far from obvious. Furthermore, some analysis lacks rigour. I feel these are largely matters of presentation and I expect I will be able to recommend publication after major revision.

Specific issues:

Orthogonality





Tailleux argues that the most appropriate spice variable should be orthogonal in geographical coordinates. I actually think this is a very important point but words like orthogonal and optimal are used frequently without their implementation actually being globally orthogonal, nor evidently 'optimal' in any way.

Firstly, the importance of orthogonality is introduced with "As is well known, the most efficient way to represent a vector is achieved by decomposing it in an orthogonal basis" This statement (and similar statements about orthogonality) should be made more precisely. For example, does the word 'efficient' have a precise meaning here?

If we are to apply rigour to the idea of developing an orthogonal basis, surely there is a fundamental issue that the gradient of any spice variable can vanish on an isopycnal (and clearly the along-section isopycnal gradient of all the spice variables shown in figure 11 vanish at various locations).

The problem Tailleux is dealing with is in three-dimensional space yet neutral density and spice offer only two basis vectors. This should be clarified with regard to the motivation to have an orthogonal basis since the basis developed is clearly incomplete.

I suggest a severe tone down of the language of 'orthogonal coordinates' unless these issues are to be discussed carefully.

Perhaps more crucially, it is unclear where and to what degree the modified spice variable eta' is actually orthogonal. How de we know if the reference profile eta\_r(\sigma\_1) is 'suitably constructed'? Fig.11 uses a polynomial fit of eta(sigma) for a specific section for eta\_r. Doesn't this imply there is no perfect orthogonality anywhere? Why not choose eta\_r to be eta at a specific latitude and longitude so at least local orthogonality is ensured? Or one could use the global isopycnal average of eta. Why not these other choices?

More generally, there is no attempt to quantify how 'optimal' different methods for making eta' orthogonal are despite it the word optimal being used frequently throughout the

## OSD

Interactive comment

Printer-friendly version



#### paper.

#### Fig 11.

I think the variables shown in Fig. 11 are even closer than they appear. Both potential spiciness and spicity are in units of kg/m<sup>3</sup> while Theta is in oC and S is in g/kg. As a consequence Theta-Theta\_r is saturated and S-S\_r is poorly resolved by the colour scale. There seems to not be a fundamental reason to care about the units of any of these coordinates since their utility is primarily in tracing water masses. So, I strongly encourage the author to rescale the colour axes (e.g. by dividing each by 1 standard deviation) so the variations in each variable are highlighted rather than their absolute values. This will likely show that all four variables look very similar in terms of their relative variations.

I am not sure if I saw it mentioned but it would be nice to see it pointed out that if the equation of state is indeed linear then all four of the diagnostics shown in Fig.11 should be proportional (at least I am sure this is the case for Theta and S).

#### General references to previous work

There are a lot of instances where what is written in previous work is generalised. These need to be either removed or replaced with concrete examples. For example on line 120 it says "So far, studies that have pursued orthogonality...have taken for granted...". Unless complete knowledge of all such studies can be claimed, it would be more appropriate to just point out that this has happened in some studies and provide references.

Other comments and suggestions:

There were a large number of typos and a few terms left un-defined.

Generally, it makes more sense to me that 'l' is used instead of 'we' since this is a sole author paper.

# OSD

Interactive comment

Printer-friendly version



A lot of the mathematics was difficult to follow often because basic variables and notation were not defined.

Line 14: What is a 'binary fluid' Line 25: What is "de-compensate" Line 28: "sopycnal" Line 45: "As \*shown\* in this paper" Line 72: I think I understand that f can be either gamma or eta. But as written it looks like f maps from Theta and S into gamma and eta space (e.g. the author writes f = (gamma,eta)). This whole paragraph could be expanded for clarity as it is important. Line 80: What is gamma\_S? The partial derivative of gamma with respect to S? Line 102: "As shown by" or "As Tailleux (2016a) showed" Eq 2: Define rho\_p and rho\_eta Line 120: "in a join\*t\* system". Also – its not clear what a 'joint system of physical units' is. Eq (5): Why no brackets around what is being logged here? Line 139: Why rho\_00 and not just rho\_0? Line 177: Define 'quasi-material'

Personal note: In our recent paper, Zika, J. D., J-B. Sallée, A. C. Naveira-Garabato, A. J. Watson, A. Meijers, M-J. Messias, B. King, 2020: Tracking the spread of a passive tracer through Southern Ocean water masses. Ocean Science., 16, 323–336, 2020, we attempted to construct a coordinate which was locally orthogonal to the along isopycnal direction and also materially conserved. The coordinate was essentially S-S\_r. We chose S-S\_r because it was simpler to define than spice. Fig. 11 of this paper suggests this was a reasonable choice.

Our salinity anomaly variable was used to help understand the ispoycnal spreading of a passive tracer. There are likely other examples of work that benefited from, or would have benefitted from, such 'spicy' coordinates. I feel this paper would be better motivated if more references were made to such studies.

Sincerely Jan Zika

## OSD

Interactive comment

Printer-friendly version



Interactive comment on Ocean Sci. Discuss., https://doi.org/10.5194/os-2020-39, 2020.